

Tender No:	
KDU/PRO/CAP/ 218 /2021	
	G 33 50 0

General Sir John Kotelawala Defence University, KandawalaEstate, Ratmalana, Sri Lanka.

T: Phone: 2632028, 2622995 Fax: 2622504, 2623599 Web:www.kdu.lk

30/07/2021

INVITATION TO BID AND GENERAL CONDITIONS OF TENDER

- 1. The Vice Chancellor of the General Sir John Kotelawala Defence University, as the Chairman, Department Procurement Committee Invites Bid/s from prospective Bidders for supply of <u>item/s listed in the schedule in Annex "A"</u>. The relevant specifications of the item/s are indicated in Annex "B".
- 2. <u>CLOSING DATE & TIME</u>. The tender will close at 1000 hrs. on 24 / 08 /2021. Any Bid submitted after the closing time of the tender will be rejected & unopened such bids will be returned to the bidder.
- 3. <u>VALIDITY OF BID.</u> The bid submitted under this tender <u>must be valid for a period of 120 days from the date of closing of tender.</u>
- 4. **BID BOND / GUARANTEE.**
- (b) Submission of insufficient Bid Bond/Guarantee value or period will be considered as a "major deviation" and such offer will not be considered for further procurement action and will be rejected.
- 5. <u>VALUE ADDED TAX</u>. The Bidders who bid for locally delivered items must have the VAT registration. The VAT portion must be shown separately in the price schedule in Annex "A" and VAT registration number must be indicated. If the quoted item is exempted from VAT or Bidding Company is not liable for VAT, reference number and date of relevant Act number/Gazette notification/a certificate (as applicable) <u>issued for the current financial year</u> from the Commissioner General of Inland Revenue to that effect should be submitted along with the Bid.
- 6. BID SUBMISSION. The bidder must duly sign at the last page (before Annexes) of this document indicating the name of the signatory and the name of the company & place the company common seal to confirm the acceptance of tender conditions. The Bid/s that do not include authorized signature will be rejected. The Bid/s duly signed by the bidder enclosed and sealed in an appropriate cover addressed to the following address should be sent by registered post or could be deposited in the appropriate tender box placed at General Sir John Kotelawala Defence University. Kandawala Estate, Ratmalana (at the Main Entrance of General Sir John Kotelawala Defence University) on or before the time & date specified for the closing of tender. The tender reference number, date & time of closing tender should be indicated & underlined at the top left corner of the envelop.

The Chairman,
Department Procurement Committee,
General Sir John Kotelawala Defence University,
Kandawala Estate, Ratmalana,
Sri Lanka.

- 7. The Bid/s must be submitted in the attached schedule of prices in Annex "A" as applicable. However, bidders could use similar formats prepared with their own letter heads with all the details mentioned therein and submit in tender. The Bid/s must contain Technical Literature, Pamphlets, Drawings and Quality Standard Certificate etc necessary to determine characteristics of items offered and in case of Machinery/Vehicles & Equipment, servicing and workshop data/after sales service, back up facilities or any other facilities provided by the supplier.
- 8. <u>SUBMISSION OF SAMPLES/PAYMENT OF TESTING CHARGES</u>.

 When it is required to submit samples, <u>every offer</u> must be accompanied with pre marked samples. The marking of samples <u>indicating the Bidder & Offer number</u> must be done and the samples must be handed over to the officer at same place where tender box is placed <u>on or before the closing date & time of the Bid</u>. Samples submitted after closing time of the Bid will be rejected. The documents such as Air Way Bills etc, will not be accepted in place of samples. When the testing charges are required to be paid, bidders shall pay testing charges separately <u>for all offers</u> indicated in their bid/s.
 - (1) Samples. Please submit samples.
 - (2) <u>Testing Charges</u>. A sum of Rs. <u>per offer must</u> be paid to the Bursar of KDU, prior to the submission of bid and a copy of the receipt must be annexed to the bid. It is the responsibility of bidder to inform the Cashier of the Account Office to note the tender number on the receipt issued for such payments.
- 8. <u>BID OPENING</u>. All duly received bids <u>will be opened immediately after the scheduled closing time of Bids at the same venue</u>. Bidders or their accredited agents could be present at the time of opening of bids.

PRICES.

For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to General Sir John Kotelawala Defence University Ratmalana, Faculty of Allied Health Science (FAHS) Werahera and University Hospital Werahera or Southern Campus Sooriyawewa. Unit price, VAT and Total price should be clearly indicated in schedule in Annex "A". Other than VAT, all other type of taxes (eg: NBT, BTT, etc.) should not be indicated separately and should be included in unit price.

- 10. **RESTRICTED TENDERS**. Invitation to Bids are circulated a mong the registered suppliers with Ministry of Defence (MOD), only bids submitted by registered suppliers will be allowed for consideration. However, Chairman, Department Procurement Committee reserves the right to invite the bids from multiple combinations of Procurement Methods as stipulated in Chapter III of the Government Procurement Guideline, 2006 to ensure highest competitiveness.
- 11. PERFORMANCE BOND/GUARANTEE. A successful bidder shall furnish a Performance Bond/Guarantee in the form of "On Demand" & "Unconditional" Bank/Insurance Guarantee for a sum equivalent to 10% of the contract value for every contract that exceeds Rs. 2,000,000.00 or equivalent amount in foreign currency through a recognized Commercial Bank registered in Sri Lanka or through an Insurance Company authorized by the Insurance Board of Sri Lanka to issue such Performance Guarantee for this purpose, within two weeks from the date of notification of award. The proceeds of the Performance Bond/Guarantee shall be payable to the Vice Chancellor of the General Sir John Kotelawala Defence University as compensation for any loss resulting from the supplier's failure to complete his performance obligations under the contract. If the contracted supplier fails to deliver the items on time or fails to complete the works as per the agreed contract, THE TOTAL VALUE OF THE PERFORMANCE BOND/GUARANTEE will be forfeited. If only partial delivery is made during the agreed contract period, the corresponding value percentage of undelivered quantity from the Performance Bond/Guarantee will be forfeited.
- 12. SIGNING OF CONTRACT. The notification of award will be transmitted to the successful bidder by post, by fax or e-mail. This notification constitutes the formation of the contract. The successful bidder should submit his written acceptance for the award and performance bond / guarantee (For awards over Rs. 500,000.00 without VAT) within 14 days of receipt of such notification. Upon acceptance of the award and furnishing of the Performance Bond/Guarantee, the successful bidder will have to enter into a formal contract with the Vice Chancellor of the General Sir John Kotelawala Defence University by signing the Contract.
- 13. **DELIVERY.** Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of **total quantity must be completed within 120 days of signing of contract**, unless mutually agreed for extended delivery period with General Sir John Kotelawala Defence University. **The bidder/s must indicate the proposed delivery schedule in Annex "D"**. In the event of placing a purchase order with the successful bidder, the total quantity so ordered must be supplied as one consignment unless part deliveries are agreed upon in the contract. The deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and **no extended delivery period will be authorized**. Under extreme unavoidable conditions too, the Chairman, Department Procurement Committee (Vice Chancellor of the General Sir John Kotelawala Defence University) reserves the right to grant or refuse delivery period extensions only within the current financial year with or without liquidated claim for delayed deliveries and that decision will be final.
- 14. <u>LIOUIDATED DAMAGES</u>. In case of delivery period extensions requested by the successful bidder, a sum equivalent to 1% of the total value of the delayed supply per delay of one week or part thereof may be deducted from the payment due to the supplier from the General Sir John Kotelawala Defence University as liquidated damages up to the maximum limit of 12% of the total value of delayed supplies.
- 15. PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS. Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by General Sir John Kotelawala Defence University authorities. The delivery made to the General Sir John Kotelawala Defence University should not be considered as quantities taken over by General Sir John Kotelawala Defence University until items are properly accepted after pre-acceptance inspection. Any item that does not conform to the specifications or already approved sample will be rejected & it is the responsibility of the supplier to remove them from General Sir John Kotelawala Defence University stores/premises within 07 working days of such intimation (either verbal or written) at his own cost and replace them with items conforming to specification within one month of such rejection. The bidder shall allow approximately 60-90 days' period of credit from the date of acceptance of items for Account Office, General Sir John Kotelawala Defence University to obtain liquid cash from General Treasury & release the payment.
- 16. **RIGHTS OF THE PROCUREMENT COMMITTEE.** The Department Procurement Committee reserve the right to accept or reject whole or part of this tender and their decision will be final. The successful bidders will be notified. Information with regard to rejected or unsuccessful bids will not be communicated.

Yours faithfully
SA Kumaranayaka

Thanking You,

For Vice Chancellor General Sir John Kotelawala Defence University

I/We agree to abide by the conditions of tender and undertake to supply the items as per delivery schedule mentioned in the contract, in the event of an order been placed with me/my firm/company as a result of this tender.

Signature

Name of Signatory

37

SCHEDULE OF PRICES FOR LOCALLY DELIVERED ITEMS

S/N	ITEMS	DENO	QTY	PRICE EACH SLRS	TOTAL PRICE SLRS
Jan.	PURCHASE OF IT EQUIPMENT FOR DEPT. OF CIVIL ENGINEERING FOE	descript.			
01	Multimedia Projectors with Bracket	Nos	12		
02	Interactive Board	Nos	01		
03	VGA Cable – 20m	Nos	13		
04	HDMI to VGA Convertor	Nos	13		a water
05	VGA Connector	Nos	13		
06	Wall Mount Projectors Screen with Bracket	Nos	01		
07	Projector screen tripod stand	Nos	05		
08	PA System with podium	Nos	01		
09	UPS	Nos	14		
10	Desktop Computer	Nos	14		
11	Collar Mic	Nos	07		
12	Wireless Presentation Gateway	Nos	03		
13	Speakers & Woofers	Nos	08		
14	Laptops	Nos	05		
15	Wireless presenter with laser pointer	Nos	01		
16	Sound Card	Nos	01		
	As Per the Attached Specifications				
	TOTAL				
	DISCOUNT				
	TOTAL(AFTER DISCOUNT)				
	VAT %	Harry J.			
	GRAND TOTAL		mbugai s		

(A) OTHER DETAILS

(i)	DELIVERY PERIOD), Series	
(ii)	MAKE & MODEL	-	•••••
(iii)	VALIDITY PERIOD	-	
(iv)	WARRANTY PERIOD	-	
(v)	PAYMENT TERMS	-	CREDIT
(vi)	COUNTRY OF ORIGIN	2	
(vii)	DISCOUNT IF ANY	1	
(viii)	ANY OTHER TAXES		

(B) VAT DETAILS


(C) PLACE OF DELIVERY

- VALUE ADED TAX PERMANENT REGISTRATION CERTIFICATE / VAT EXEMPTION LETTER ISSUED BY DEPARTMENT OF INLAND REVENUE TO BE ATTACHED - ITEMS TO BE DELIVERED TO THE "GENERAL SIR JOHN KOTELAWALA DEFENCE UNIVERSITY, KANDAWALA STATE, RATMALANA ALONG WITH THE COPY OF ORDER AND RELEVANT INVOICE.

NOTE: UNIT P	RICE AN	D TOTAL PRICE AI	RE TO BE INDIC	ATED CLEARLY I
		QUOTATION WILL B		THE CLEARET I
SUPPLIER NA		• • • • • • • • • • • • • • • • • • • •		
ADDRESS	-	***************************************		
CONTACT NU	MBER -	•••••	•••••	Company Seal
E MAIL ADRE	SS -			

Specifications of VGA Connector, HDMI to VGA Converter and VGA Cable

VGA Connector



VGA connector is a 3 row, 15 pin connector comes with a screw type locking mechanism...

- Type Computer Analog Video Connector
- Data Signal I2C data channel for DDC information
- Video signal RGB video signal plus option H and V sync
- No. of Pins 15
- Connector DE-15

HDMI to VGA Converter



HDMI to VGA converter adapter + 3.5 mm audio jack full HD 1080P black

VGA Cable



Length: 20m



2 Specification of multimedia projector



Specifications	The second secon
Projection System	3LCD, 3-chip technology
LCD Panel	0.55-inch (D10)
Zoom	1 - 1.2 (Optical Zoom)
Throw Ratio	1.48 (Zoom: Wide), 1.77 (Zoom: Tele)
Projection Lens F Number	1.58-1.72
Projection Lens Focal Length	16.9 mm-20.28 mm
Focus Method	Manual Focus
Offset	8:01
Colour Light Output	3,600 Lumens
White Light Output	3,600 Lumens
Resolution	XGA
Native Aspect Ratio	4:3
Contrast Ratio	15,000:1
Maintenance Cycle	Normal/Eco: 6,000/10,000 Hours
Lamp Type	215 W UHE
Keystone Correction	Vertical: -30 to +30 degrees
	Horizontal: -30 to +30 degrees
Input: Video	1 x RCA (Yellow)
Input: Computer	1 x D-sub 15-Pin (RGB), 1 x USB 2.0 type E
Input: USB Memory Device	1 x USB Type A
nput: Three-In-One USB Display	1 x USB 2.0 Type B
nput: Digital	1 x HDMI
nput: Audio	2 x RCA (1 x White, 1 x Red)
nput: Control	1 x USB 2.0 type B
nput: Epson USB Document Camera	1 x USB 2.0 type A



Specifications of Interactive White Board

Specifications	7
Image	
Exteral frame material	Aluminum
Ratio	4:3
Touch Technology	Infrared Touch
Points touch	10 points touch
Hotkeys	36 hotkeys (18 each either side for left and right hand use)
Interface	USB2.0 or USB3.0
External size (mm)	Appocimate 1746*1255 or More
Active area (mm)	Appocimate 1666*1173 or More
Resolution(Interpolation)	32767*32767
Linearity Error	1.5mm
Responsible time	8ms
Response Speed	<20ms
Input Method	Finger, teaching point, or opaque objects
Touch Times	Unlimited
Touch Activation Force	No minimum touch activation force is required with IR touch technology
Minimum Touch Object	5mm
Temperature	Operating: -20°C ~ 70°C

Relative Humidity	Operating: 90%(noncondensing at max 40°C)
Altitude	Up to 7,000m
Life Time	At least 7-year
Operation Voltage	Typical +DC 5V, +4.75V to +5.25V
Power Supply	USB, power ripple max.200mV rms
Power	<2W, operating current<200mA
Installation guide	1PCS
Extension USB cable	5m USB Cable
IWB Pen without ink	3PCS
CD with the software	1PCS
Teaching pointer	1PCS
Warranty	5 years for Electronic parts
Supply, Delivery & Install	Specify
ranning for Staff	Specify


Providing classroom facilities.

Specification of wall mounted projector screen

HOD-CE 29/03/2021

the second with primer than a work or

Laboratory




Usage/Application	Laboratory
Mount Type	Wall Mount
Color	White
Frame Material	Aluminium


70"x90"

(2) MPL/NMP on receipt from all departments

Screen Size

Wireless ĻAN	Optional
WiDI/Miracast	N/A
iProjection	Yes
USB Plug 'n Play	Yes
AV Mute Slide	Yes
Instant Off	Yes
Auto Power On	Yes
Direct Power On/Off	Yes
Colour Modes	Dynamic, Presentation, Cinema, sRGB, Blackboard
Lamp Warranty	24 Months or 1500 hours (Which ever comes first)
Projector Warranty	2 Years
Power Consumption: Lamp on	Normal/Eco: 291W/214W
Noise Level	Normal/Eco: 37/28dB
Remote Contol with Batteries	1 No.
projector ceiling mount	Extendable Adjustable fixing retractable mount
VGA Cable - 10 M	
HDMI Cable - 10M	
Supply, Delivery & Install	Specify
Tranning for Staff	Specify






Specifications	
	Combination of plastic, steel and other materials. ABS plast is used for the front face of the table.
	The top sliding cover is attached with wooden grain boards
PODIUM BODY	Expand IC card system with electronic lock, and open the loby swiping the card;
	Desktop tilting design, easy to place laptop or speech manuscript;
	Electric lifting for wide screen LCD up to size 22";
	The table body adopts the size design of the dismounting standard cabinet;
	Built in 8 ports PDU(industrial PDU special for Rack usage);
	Standard cover plate open-type laptop interface cable box on the top of the table body;
	HDMI cable 3-meter x1; USB cable 2-meter x2;
	Directly inserted lotus head gooseneck microphone anti- vibration plastic rubber ring base;
	Movable casters are provided at the bottom;
	Product size: length 668* width 771* height 1150mm

	special full-frequency speaker *2;
	speakers are built in the face of the speaker;
BUILT-IN SPEAKER WITH	4.5-inch *2;
AMPLIFIER	90-channel speakers;
	8 ohms
	8 ohms 30W*2;
	Gooseneck microphone with plastic shock mount
	Dual flexible metal rod microphone
	80CM custom lengthening,
	Gooseneck microphone with switch indicator;
	Copper double hose,
GOOSENECK MIC.	Aluminum rod body;
3003ENECK MIC.	Tap plug;
	Condenser microphone
	Frequency response: 100hz-15khz;
	Cardioid direction;
	Output impedance: 600 ohms;
	Sensitivity -36DB;
	Pickup distance: 20-50cm;
	Power supply: DC12V / 1 a;
	Amplifier specification:
	Channel 8 ohm stereo mode: 150W
	Output x4
	Voltage gain: 37db
	Damping coefficient: >, 500
	Dynamic range: > 90dbA
	SNR: > 101dbA
	Protection function: dc/short circuit/high temperature/overload/distortion pressure limit/high frequency
MPLIFIER & WIRELESS IIC. ALL-IN-ONE	noise/power soft start /VHF high frequency protection
IIO. ALL-IN-ONE	Output level circuit type: super H
	Grid requirements: 220v-15a
	Wireless microphone:
	Dual wireless hand metal handle voltage microphone;
	Frequency: 730-790mhz in U segment; Dual channel reception;
	Frequency band width: 30MHZ;
	Power supply: DC-12v-16v
	Power: 10W

Specification of UPS



Capacity - 1200VA/720W

INPUT

Voltage range - 145-290VAC Frequency - 50HZ (automatic detection) Breaker - Inbuilt

OUTPUT

Voltage range - 195-255Vac Frequency (DC mode) - 50HZ+/-0.5HZ Output waveform - PWM Output socket - Universal socket

Battery

Battery type - Rechargeable sealed lead acid
Battery capacity - 12V- 7Ak1 x2Pc
Backup time(with 1set of PC) - 7 to 15 Minutes
Typical charging period - 5 hours reaches 90% of the battery capacity
Charing technology - Microprocessor controlled

Control technology

Type - Microprocessor controlled

Inverter technology

Type - Full-Bridge

Transfer time

Typical - 4 to 8 mins

State indication

AC mode - Green LED is bright DC mode - Red LED is bright


Alarms

DC mode - Beeps every 8 seconds
Low battery - Beeps every 1 second (Continuous beep with yellow)
Overloaded - LED flashes every 1 second
Fault - Continuous beep

Protection

All protections - Discharge, over charge and overload





Tripod Projector Screen

Projection way: Front

Extended Dimension: 80" x 80"

Projection Area Size: 81 x 81" (LxW)

Projection Area Diagonal: 160'


Aspect Ratio: 4:3, 16,9

Materials: Matte White Screen & Anti-rust Painted Iron Stand

Viewing Angle: 160 degree

Adjustable Stand Height: 76-120

Specification For Desktop Computers



- Processor: Intel i5-7400 (6MB Cache, 3.0 Upto 3.50 GHz)
- RAM: 4GB DDR4 2400MHz
- HDD: 1TB 7200 rpm SATA HDD
- DVD: Tray Loading Dual Layer DVD Burner
- Connectivity / VGA: WiFi & Bluetooth / Interated Graphics Monitor: 19" Monitor
- Keyboard: Black Keyboard
- Mouse: Optical Mouse
- Operating System: Windows 10
- Warranty Period: 3 years



Speaker-Microlab 2.1 M-300BT B/T

Item Code:

SPKM4636

Weight:

3.50KG

Brands:

Microlab

Manufacturers:

Microlab

Stock:

Yes

Model

M-300BT Bluetooth

Categories:

Speaker

Description

· Quality 2.1 speaker system with built-in amplifier

· Satellite speakers with metal diamond texture Front panel volume controls

• Full audio spectrum performances, ideal for your favourite entertainment from Mp3, Mp4, CD/DVD movies and digital playbacks

Specially designed woofer for bass and resolution

 Comes with 3.5mm stereo connection that connects to most media players and computers

Technical Specifications

Amplifier specs

Output power 40, Watt RMS
Power distribution 10x2+20, Watt

Harmonic distortion 0,3, % (1Watt, 1kHz) Frequency response 30-20 000, Hz

Signal/Noise ratio 75, dB
Separation 45, dB

Speakers specs

Tweeter driver type 2.5,
Tweeter rated power 10, Watt
Bass driver type 5,
Bass rated power 30, Watt
Material MDF/plastic
Color black

Interfaces


Output 2RCA
Input 3,5 stereo

Dimensions

 Satellites
 80x178x83, mm

 Subwoofer
 165x212x313, mm

SPECIFICATION FOR CALLER MICROPHONE -KDU



Range:

300 Feet

System:

Digital

Battery Type:

2 AA, Shure Lithium-ion

Transmitter Battery Life:

9 Hours

Max SPL:

125dB

Sampling Rate:

48k

Latency:

2.9 ms

Dynamic Range:

120dB

Simultaneous Systems Per Band:

Up to 17 systems per 6 MHz TV channel

Receiver Build:

Metal

Channel selection:

Auto

Transmitter Type:

Caller Mic

Receiver Type:

Rackmount

Frequency Range:

Adjustable

Microphone Type:

Omnidirectional

Mic Self Noise:

22.5dB

Microphone Polar Pattern:

Supercardicid

Mic Frequency Response:

50Hz-17kHz

System Frequency Response:

20Hz-20kHz



Wireless Presentation Gateway



WIRED NETWORK

Interface: RJ-45 Connector (10/100Mbps)

WIRELESS NETWORK

Interface: Built-in 802.11 a/b/g/n 2T2R

Frequency Band: 2.4GHz(2.312~2.472GHz, 2.484GHz))/5G(5.18~5.825GHz) Dual Band

Data transfer speeds: up to 150Mbps

WIRELESS SECURITY

Security/ Encryption: WPA/WPA2, WPA-PSK, WPA2-PSK

VIDEO OUTPUT

Support Output Resolution: HDMI: 1080P, 720P, 480P VGA:800x600, 1024x768, 1280x800, 1280x1024, 1366x768

CONNECTOR

HDMI: 1 RGB: 1

Network: RJ-45(10/100M), Wireless(802.11a/b/g/n)2.4G/5GHz

USB Type A: 1

	110 W LIX		
	AC Adapter: 100~240VAC @ 50/60Hz, 5V/1A output Comsumption: 5W (Maximum), 0.5W (Standby)	•	
•	OPERATING CONDITIONS		
	Temperature (° F / ° C): 23°F to 113°F (-5°C to 45°C)		
	DIMENSIONS (W x H x D)		
	Physical: 191.5 mm (W) x 32.25 mm (H) x 102.6 mm (D)		, ,
•	WEIGHT		
	Net: 0.43 lb / 240 g		
•	REGULATIONS		
	Safety/EMC: FCC-B, CE, ErP, RoHS Wi-Fi: FCC-ID, CE R&TTE, NCC, EAC		
•	What's in the box?		
	Wireless Presentation Gateway ViewSync 3		

- Wireless Presentation Gateway ViewSync 3
 Universal Power Adapter x 1
 Antenna x 2
 Quick Start Guide
 AutoProject Key (USB drive) x2
 Remote control with battery
 *Actual content may differ from market to market






	Description	Minimum Requirement	Bidder's Compliance		
and some			Yes/No If "No" Your O		
1	Product data				
	Equipment Type	Notebook Computer		WAR EN	
	Country of Origin	Please Specify			
	Country of Manufacture	Please Specify			
	Brand	Please Specify		MINIST	1077
	Model	Please Specify			
2	Processor		Fall of the later.		
	Туре	Core i7		Ann Chinacopeath	
	Processor Model	10th Generation			
	Processor Clock Rate	Base Frequency 2.00 GHZ or Higher			
	L3 Cache	8MB or Higher			Semigra
3	System Memory	PROPERTY OF THE PROPERTY OF TH	NE OTRONING CONTRACTOR		ASTRUMENTS
an an	Installed RAM	Minimum 16 GB			
-	Memory Type	A CONTROL OF THE PARTY OF THE P			
		DDR 4 2133 or Higher			
	No of Memory Slots	Minimum 2	early (91 or 1922) to the decision	THE REPORT OF THE PARTY OF	DATE OF THE STATE
4	Hard Disk Drive				
_	HDD Capacity	1TB with 5400rpm or Higher			
arredo:	Device Interface	SATA Drivers		oli Nes de Maria	100 200 40
5	Video controllers				
	Video Card	Please Specify			
000001	Graphics Memory Size	Dedicated 2GB or Higher			
6	Display				
	Diagonal viewable length	15.6 inch (Minimum)	A A A A A A A A A A A A A A A A A A A		
	Minimum Display Resolution	FHD (1920 x 1080 pixels) or Higher			
7	Audio Output		110		
	Sound card	HD Audio Support		21/20/2045	Electronic and control of the
8	Networking		PHOTE . 10 JULY 10 JUL	HARLEY BLO	
0.854.910	Wire Solution	10/100Mb/s Minimum		ar Macanague (a)	
71	Wireless Solution	802.11a/b/g/n/ac			<u> </u>
		Bluetooth 4.0			
9	External I/O connectivity				12. H 33.2 H 34.5
	USB Ports	03 nos, at least 01 x USB 3.0			
	000 / 010	00 flos, at least 01 x 00B 3.0			
v(i)	Video Outputs	HDMI			
	Microphone Input	1			
	Headphones Speakers	2 (Stereo)			
	SD Card reader	SD Card reader with SD, SDHC, SDXC			
		Support 0			
10	Battery Power Supply				
	Type Capacity	3 or 4-cell Removable Battery		IX Elevated to as too	
	Operating Time	40 WHr			
	Warranty for the battery	minimum 03 years			ATRICAL CONTRACTOR
11	General	The state of the s		5.014,414,80	
	Keyboard	Full-size			ucosveribili
	DVD Writer	Type - DVD +/- RW Super Multi DL.			
	Mouse	Optical mouse with the same			
	Mode	notebook Brand			
	Web Camera				
	Carrying Case	Integrated 720 P or Higher			
	Carrying Case	Original backpack or carrying case with			
		the same Brand		The lates	

12	Software			
	Operating system *	not required		
	MS Office	not required		
	Anti-virus software	not required		
13	Supplier should be a Manufacture Authorized Agent in Sri Lanka and Proof should be provided	Supplier Should Have Certified Repair Centre and Island wide Branches for immediate Warranty facility		
14	Vendors Experience	Supplier should have at least 5 Years' Experience by selling this Product		. g.
15	Authorization	Supplier should be a Manufacture Authorized Agent in Sri Lanka and Proof should be provided	The state of the s	
16	Brochures	Brochures for the offered model shall be submitted along with the tender.		
18	Warranty 3 year	3 years comprehensive on-site warranty including all parts and labour and covering against all types of defects and faults related to the product quality and workmanship 1. Maximum Response time of 3 hours 2. Maximum Resolution Time of 8 working hours.		
		(In failure to do so, vendor must supply a backup Laptop with similar capabilities)		





Item Code: Weight:

Brands:

Manufacturers: Prolink

Stock:

Yes

Model

PWP102G

Prolink

PRAP3964

100.00GM

Categories:

Projector Accessories

Description

2.4 GHz Wireless Presenter with Air Mouse

- Plug & Play
- OFN (Optical Finger Navigation) Button
- Red Laser Pointer Control Button
- Transmission range up to 20m
- Low battery indication

OFN (Optical Finger Navigation) Button

- control cursors movement by moving your thumb over it

Red Laser Pointer Control Button

- highlight or point to the details of your presentation slides with ease

Advanced Functions:

- Start and End presentations, Forward/Backward, or hide the slide (black screen) with a push of a button

Plug & Play

- simply plug in the USB receiver (stores in the battery cover) and go on with your presentation Wireless 2.4GHz RF Transceiver

- working range of up to 20meters, it is great for dynamic and large scale presentation

General • Esc, Page Down, Page Up, Black Screen, I Motion Detection • OFN Button Resolution • 800 dpi Input Power • 1.5V AAA * 2 Dimensions 130 x 38 x 28mm (L x W x H)

USB Receiver

Interface

USB 2.0



Dimensions	34 x 16 x 6mm (L x W x H)			
RF Specifications				
Number of Channels	• 75			
Carrier Frequencies	• 2.4GHz			
Transmission Range	Up to 20 meters, 360 degree			

*

Sound Card



Key Features

- Two Combo XLR-1/4" Mic/Line Inputs
- Four 1/4" Line Inputs and Two RCA Inputs
- 2-In/2-Out USB Audio Interface
- Lexicon FX with Delay, Reverb, & Chorus
- Master XLR Outputs
- Dedicated Aux Send
- Independent Headphone Controls
- 3-Band EQ on Channels 1-2
- Hi-Z Input on Channel 1
- Durable Metal Enclosure

ANNEX "C"

25

		SPECI	MEN FORM (OF BID S	<u>ECURITY</u>			
insurance comp firmly bound	onto	se registered office	is at	(h	inafter called "the Bidder") and We (name of bank or (hereinafter called "the Surety") are held and ereinafter called the Authority") in the sum of the payment of which sum the Bidder and the Surety			
bind themselve	s their suc	cessors and assigns	jointly and sev	erally by t	chose presents. ons to compete tenders in similar terms for the supply			
					and to			
called "the Bid honour certain	") in acco obligatior	ordance with such in s to be undertaken	nvitation, the B	ond shall	r proposes to submit to the Authority a Bid (hereafter provide security to the Authority that the Bidder will ecordance with the following conditions.			
Now the Cond	itions of	this Bond are:						
(a)	That it	shall remain in full	force and effect	until the	earliest of			
					date), the date stipulated by the Authority for the date above notified to the Authority by the Bidder and			
					by the Authority, the date upon which the Bidder n accordance with the terms of the contract thereby			
(b) Bond i		t to this Bond being ipt of first written de			the Surety shall pay the full amount specified in this stating that.			
	(i) The Bidder has withdrawn his Tender during the validity of this Bond, or							
	(ii) terms o				ance security to the Authority in accordance with the timation of award of the Tender.			
or thing concern	ning the T				e of forgiveness in or in respect of neither any matter objection from the bidder shall in any way release the			
the Authority sh	nall return	nis Bond shall not be the same to the Bic be governed by the	lder.		rity and upon its ceasing to be in full force and effect			
I exe	ecuted as	a deed on this () day of ()20(
For an	d on beha	lf of the Bidder			For and on behalf of the Surety			
Signed	l by				Signed by			
In the	capacity o	f			In the capacity of			
and by					and by			
In the	capacity	of			In the capacity of			

Seal (where applicable)

Seal (where applicable)

DELIVERY SCHEDULE

(IT IS MANDATORY TO FILL THE FOLLOWING SCHEDULE BY THE BIDDER) TENDER NO: ITEM: **DURATION** QTY EX STOCK QTY (WITHIN 01 WEEK) 01MONTH 02 MONTHS 03 MONTHS 04 MONTHS TOTAL NAME OF THE BIDDER SIGNATURE OF BIDDER DATE

COMPANY SEAL