

KDU/PRO/MAINT/141A/2021

Procurement Section  
Kotelawala Defence University  
Rathmalana.

22 June 2021

**AMENDMENT FOR THE SPECIFICATIONS OF INTER LOCKING UNI PAVINGS.**

File No : KDU/PRO/MAINT/141A/2021 Tender Opening Date 08<sup>th</sup> July 2021.

1. Vide referred tender file will be opened on 08<sup>th</sup> July 2021. However, it is to be noted that the initial specifications for the **Dimensions** of the Concrete Paving Blocks have been amended and new specifications are as follows.


**Previous Dimension**

8" x 4" x 4"

**New Dimension**

Length and Width 100mm  
Thickness 75mm

2. Other specifications are remain as same and sample should be mandatory for the Tender Opening.
3. Sorry for the inconvenience caused.

  
**HRL Abeyrathna**  
Flt Lt  
Procurement Officer

### **Construction Specification of Proposed Paving at 'B' Gate Complex**

The proposed 'B' Gate complex at General Sir John Kotelawala Defence University, Ratmalana includes a paving as a roundabout creating a public space which provide the access to the university 'B' Gate from both the *Kandawala road* and *2<sup>nd</sup> Cross Street*.

As per the consultancy of the Architect and the Engineer the specification for the paving block in regards to the proposed function are as below:

**Type - Concrete Paving blocks**

**Compressive strength – 40 -50 KNmm<sup>-2</sup>**

**Colour – Cement colour and Grey colour (mixed as in the below shown reference picture)**

**Dimensions - Length and width 100mm, thickness 75mm**




Figure 1 – Reference picture for the paving