

Tender No: KDU/PRO/CAP/80/	2022	5)
INVITATION TO	BID AND GE	NERAL COND	ITIONS OF TEN	NDER

General Sir John Kotelawala Defence University, KandawalaEstate, Ratmalana,

Sri Lanka.

T: Phone: 2632028, 2622995 Fax: 2622504, 2623599 Web:www.kdu.lk

28 / 02 / 2022

- 1. The Vice Chancellor of the General Sir John Kotelawala Defence University, as the Chairman, Department Procurement Committee Invites Bid/s from prospective Bidders for supply of <u>item/s listed in the schedule in Annex "A"</u>. <u>The relevant specifications of the item/s are indicated in Annex "B"</u>.
- 2. <u>CLOSING DATE & TIME</u>. The tender will close at 1000 hrs. on 24/03/2022. Any Bid submitted after the closing time of the tender will be rejected & unopened such bids will be returned to the bidder.
- 3. <u>VALIDITY OF BID.</u> The bid submitted under this tender <u>must be valid for a period of 120 days from the date of closing of tender.</u>
- 4. <u>BID BOND / GUARANTEE</u>.
- (b) Submission of insufficient Bid Bond/Guarantee value or period will be considered as a "**major deviation**" and such offer will not be considered for further procurement action and will be rejected.
- 5. <u>VALUE ADDED TAX</u>. The Bidders who bid for locally delivered items must have the VAT registration. The VAT portion must be shown separately in the price schedule in Annex "A" and VAT registration number must be indicated. If the quoted item is exempted from VAT or Bidding Company is not liable for VAT, reference number and date of relevant Act number/Gazette notification/a certificate (as applicable) <u>issued for the current financial year</u> from the Commissioner General of Inland Revenue to that effect should be submitted along with the Bid.
- 6. BID SUBMISSION. The bidder must duly sign at the last page (before Annexes) of this document indicating the name of the signatory and the name of the company & place the company common seal to confirm the acceptance of tender conditions. The Bid/s that do not include authorized signature will be rejected. The Bid/s duly signed by the bidder enclosed and sealed in an appropriate cover addressed to the following address should be sent by registered post or could be deposited in the appropriate tender box placed at General Sir John Kotelawala Defence University. Kandawala Estate. Ratmalana (at the Main Entrance of General Sir John Kotelawala Defence University) on or before the time & date specified for the closing of tender. The tender reference number, date & time of closing tender should be indicated & underlined at the top left corner of the envelop.

The Chairman,
Department Procurement Committee,
General Sir John Kotelawala Defence University,
Kandawala Estate, Ratmalana,
Sri Lanka.

- 7. The Bid/s must be submitted in the attached schedule of prices in Annex "A" as applicable. However, bidders could use similar formats prepared with their own letter heads with all the details mentioned therein and submit in https://duly.igned.copy.ofa General Conditions of tender. The Bid/s must contain Technical Literature, Pamphlets, Drawings and Quality Standard Certificate etc necessary to determine characteristics of items offered and in case of Machinery/Vehicles & Equipment, servicing and workshop data/after sales service, back up facilities or any other facilities provided by the supplier.
- 8. SUBMISSION OF SAMPLES/PAYMENT OF TESTING CHARGES.
 When it is required to submit samples, every offer must be accompanied with pre marked samples. The marking of samples indicating the Bidder & Offer number must be done and the samples must be handed over to the officer at same place where tender box is placed on or before the closing date & time of the Bid. Samples submitted after closing time of the Bid will be rejected. The documents such as Air Way Bills etc, will not be accepted in place of samples. When the testing charges are required to be paid, bidders shall pay testing charges separately for all offers indicated in their bid/s.
 - (1) Samples. Please submit samples.
 - (2) <u>Testing Charges</u>. A sum of Rs. <u>per offer must be paid to the Bursar of KDU,</u> prior to the submission of bid and a copy of the receipt must be annexed to the bid. It is the responsibility of bidder to inform the Cashier of the Account Office to note the tender number on the receipt issued for such payments.
- 8. <u>BID OPENING</u>. All duly received bids <u>will be opened immediately after the scheduled closing time of Bids at the same venue</u>. Bidders or their accredited agents could be present at the time of opening of bids.

9.

For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to General Sir John Kotelawala Defence University Ratmalana, Faculty of Allied Health Science (FAHS) Werahera and University Hospital Werahera or Southern Campus Sooriyawewa. Unit price, VAT and Total price should be clearly indicated in schedule in Annex "A". Other than VAT, all other type of taxes (eg: NBT, BTT, etc.) should not be indicated separately and should be included in unit price.

- 10. RESTRICTED TENDERS. Invitation to Bids are circulated a mong the registered suppliers with Ministry of Defence (MOD), only bids submitted by registered suppliers will be allowed for consideration. However, Chairman, Department Procurement Committee reserves the right to invite the bids from multiple combinations of Procurement Methods as stipulated in Chapter III of the Government Procurement Guideline, 2006 to ensure highest competitiveness.
- PERFORMANCE BOND/GUARANTEE. A successful bidder shall furnish a Performance Bond/Guarantee in the form of "On Demand" & "Unconditional" Bank/Insurance Guarantee for a sum equivalent to 10% of the contract value for every contract that exceeds Rs. 2,000,000.00 or equivalent amount in foreign currency through a recognized Commercial Bank registered in Sri Lanka or through an Insurance Company authorized by the Insurance Board of Sri Lanka to issue such Performance Guarantee for this purpose, within two weeks from the date of notification of award. The proceeds of the Performance Bond/Guarantee shall be payable to the Vice Chancellor of the General Sir John Kotelawala Defence University as compensation for any loss resulting from the supplier's failure to complete his performance obligations under the contract. If the contracted supplier fails to deliver the items on time or fails to complete the works as per the agreed contract, THE TOTAL VALUE OF THE PERFORMANCE BOND/GUARANTEE will be forfeited. If only partial delivery is made during the agreed contract period, the corresponding value percentage of undelivered quantity from the Performance Bond/Guarantee will be forfeited.
- SIGNING OF CONTRACT. The notification of award will be transmitted to the successful bidder by post, by fax or e-mail. This notification constitutes the formation of the contract. The successful bidder should submit his written acceptance for the award and performance bond / guarantee (For awards over Rs. 500,000.00 without VAT) within 14 days of receipt of such notification. Upon acceptance of the award and furnishing of the Performance Bond/Guarantee, the successful bidder will have to enter into a formal contract with the Vice Chancellor of the General Sir John Kotelawala Defence University by signing the Contract.
- DELIVERY. Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of total quantity must be completed within 120 days of signing of contract, unless mutually agreed for extended delivery period with General Sir John Kotelawala Defence University. The bidder/s must indicate the proposed delivery schedule in Annex "D". In the event of placing a purchase order with the successful bidder, the total quantity so ordered must be supplied as one consignment unless part deliveries are agreed upon in the contract. The deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and no extended delivery period will be authorized. Under extreme unavoidable conditions too, the Chairman, Department Procurement Committee (Vice Chancellor of the General Sir John Kotelawala Defence University) reserves the right to grant or refuse delivery period extensions only within the current financial year with or without liquidated claim for delayed deliveries and that decision will be final.
- LIQUIDATED DAMAGES. In case of delivery period extensions requested by the successful bidder, a sum equivalent to 1% of the total value of the delayed supply per delay of one week or part thereof may be deducted from the payment due to the supplier from the General Sir John Kotelawala Defence University as liquidated damages up to the maximum limit of 12% of the total value of delayed supplies.
- PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS. Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by General Sir John Kotelawala Defence University authorities. The delivery made to the General Sir John Kotelawala Defence University should not be considered as quantities taken over by General Sir John Kotelawala Defence University until items are properly accepted after pre-acceptance inspection. Any item that does not conform to the specifications or already approved sample will be rejected & it is the responsibility of the supplier to remove them from General Sir John Kotelawala Defence University stores/premises within 07 working days of such intimation (either verbal or written) at his own cost and replace them with items conforming to specification within one month of such rejection. The bidder shall allow approximately 60-90 days' period of credit from the date of acceptance of items for Account Office, General Sir John Kotelawala Defence University to obtain liquid cash from General Treasury & release the payment.
- RIGHTS OF THE PROCUREMENT COMMITTEE. The Department Procurement Committee reserve the right to accept or reject whole or part of this tender and their decision will be final. The successful bidders will be notified. Information with regard to rejected or unsuccessful bids will not be communicated.

Thanking You, Yours faithfully.

SA Kumaranayaka For Vice Chancellor

General Sir John Kotelawala Defence University

I/We agree to abide by the conditions of tender and undertake to supply the items as per delivery schedule mentioned in the contract, in the event of an order been placed with me/my firm/company as a result of this tender. Signature

...... Name of SignatoryName of the Company/Bidder Date :- Company seal

DATE

SCHEDULE OF PRICES FOR LOCALLY DELIVERED ITEMS

S/N	ITEMS		DENO	QTY	PRICE EACH SLRS	TOTAL PRICE SLRS
	PURCHASE OF WIRED CONFER PA SYSTEM FOR (SENATE) BOARDROOM	RENCE				
01	Wired Conference PA System (Camera Tracking with 46 Microph	ones)	No's	01		
	Attached the Specification . Location should be visited prior to the tender	submit				
	TOTAL					
	DISCOUNT					
	TOTAL(AFTER DISCOUNT)					
	VAT %					
	GRAND TOTAL					
	(i) DELIVERY PERIOD (ii) MAKE & MODEL (iii) VALIDITY PERIOD (iv) WARRANTY PERIOD (v) PAYMENT TERMS (vi) COUNTRY OF ORIGIN (vii) DISCOUNT IF ANY (viii) ANY OTHER TAXES VAT DETAILS		FICATE	ADED / VAT	EXEMPTION	NENT REGISTRATION N LETTER ISSUED BY UE TO BE ATTACHED
(C)	PLACE OF DELIVERY	KANDA	OHN I AWALA	KOTELA STATE	AWALA DE	O TO THE "GENERAL FENCE UNIVERSITY, NA ALONG WITH THE INVOICE.
	Any queries / information with r from Officer Commanding Logis Defence University through e 0112622504, OCLS – 0710219303	stics Se -mail (rvices o ocls@ko	office a du.ac.ll	it General S and by	Sir John Kotelawala telephone number
	NOTE: UNIT PRICE AND TOTA THE TENDER, IF NOT QUOTA	AL PRI ΓΙΟΝ V	ICE AR VILL B	E TO	BE INDICA ECTED.	ATED CLEARLY IN
		•••••	•••••	• • • • • • • • • • • • • • • • • • • •		
						Company Seal
	E MAIL ADDECC	•••••				

(E) Bid Reference: KDU/PRO/CAP/ 80 /2022



PURCHASE SPECIFICATION OF FULL HD VIDEO CONFERENCE SYSTEM FOR THE (SENATE) BOARDROOM, KDU

Description	Minimum requirements If the bidder offers the exact minimum requirement, can say complied/yes. If not, must give full detail. Any ambiguity may	Quantity	Bidder's complia nce (Yes/No)	Bidder 's catalo g No./Pa ge No.
1.0 Full Digital Video Conference Controller	consider as not complied.	x O1No		
Features	Expected immunity to RF interference from mobile phones and RF devices			
Specification	Standard Capacity 60~70 (different from various models) Acoustic Frequency Response 20Hz ~ 20KHz SNR >96dBA Channel Isolation >85dB Dynamic Range >94dB THD <0.05% PowerAC100~240V, 50/60Hz Audio Port 1 balanced (XLR); 2 unbalanced (RCA) Max Audio Output LINE OUT : +20 dBu unbalanced/ balanced OUT : +20 dBu balanced Output Impedance >1KΩ External Audio Input 0.775V (PHOENIX terminal) Central Control Method RS-232 PC Connection Method TCP/IP Max Power Consumption 300W Active Delegate 1/2/3/4 (not including chairman unit)			
1.1 Chairman	Push button for MIC ON/OFF	x O1No		
Microphone	Priority button to override all	Y OTHO		

5
9

	active delegate units Unidirectional electret condenser microphone Red ring illuminant to identify live unit Built-in loudspeaker in hi-fi quality Dual 3.5mm headphone jacks with level control Loudspeaker is muted when MIC ON and/or headphone connected		
Features			
	Priority function: Chairperson can turn off delegate microphones by clear key any time Chairperson microphone can turn on any time. Chairperson only mode: Delegate microphone should not have turned on again after pressing priority button. The chairman need quit this mode first, and then delegate microphone can be turned on again		
Technical Parameters			
	Frequency response: 50~18kHz Sensibility: -46+(-)4dB Power input: 24VDC Microphone stem length: 41cm Dual-shielded captive cable length: 50 cm Portable or fixed tabletop mounting.		
1.2 Delevet			
1.2 <u>Delegate</u> <u>Microphone</u>		x 45 Nos	
Technical Parameters	Same as Chairman Unit		
2 O Video Terralia varia			
2.0 <u>Video Tracking HD</u> <u>Camera</u>		x 04 Nos	
	Image Sensor 1/2.8 inch high quality HD CMOS sensor pixel Dynamic image: 16:9 2.07 million effective pixels.		

(9)

	O. 111	
	Still image: 16:9 2.1 effective	
	megapixels	
	video signal	
	1080P60/50/30/25,	
	Lens zoom 20x optical zoom,	
	f=4.7~84.6mm	
	Minimum illumination 1.8Lux	
	white balance	
	Auto/Manual/Indoor/Outdoor	
	focus automatic / manual	
	aperture automatic /	
	manual	
	electronic shutter automatic /	
	manual	
	signal to noise ratio >50dB	
	HD video interfaceHD-SDI,	
	DVI-I	
	control signal interface	
	RS232, 8-pin mini-DIN	
	Rotation angle Horizontal	
	rotation: ±175°; Up Vertical: -	
	30°~90°	
	stored temperature -10°C	
	to +60°C	
	Operating temperature 0°C to	
	+45°C	
	Power Adapter AC110V-	
	AC220V to DC12V/2A	
	Towns 11	
	Input voltage DC12V	
	(DC11.5-DC12.5V)	
0.1.771		
2.1 Video Matrix	Input channel 4 ports	x 01 No
Switcher 01	Application of standardsSMPTE	
	259M, SMPTE 292M,	
	SMPTE424M, ITU-R BT.601,	
	ITU-R BT.1120	
	Video format 270Mbps SDI/ 1.485 Gbps HD-SDI/	
	2.97Gbps 3G-SDI	
	Data frequency 19Mbps 2.97 Gbps	
	Margin 0.8Vp-p±10%	
	Rise / fall time 400-700ps	
	Crossed <10%	
	Movement <540ps±10%	
	1 OTTENTE -O 10 DOT 10 /0	

	Minimum / maximum level 0.5V to 1.0 Vp-p Maximum transmission range HD: 200m/ SD:400m/ 3G: 140m Output channels 4 ports Protocol HDMI 1.4 protocol/ HDCP protocol Pixel bandwidth 225MHz, Full-digital Interface bandwidth 3.25Gbps, Full-digital Max support resolution Norma1- PC:1600x1200@60-24bit, HDPC:1920x1200@60-24bit, HDTV:1920x1080p@60-36bit Clock Jitter <0.15 Tbit Rise time <0.3 Tbit (20%-80%) Fall time <0.3 Tbit (20%-80%) Signal type HDMI-A Full- digital T.M.D.S signal of HDMI 1.4 Maximum/ Minimum level T.M.D.S 2.9V/3.3V Connector HDMI-A Female connector	
2.2 HDMI 4K60 Matrix Switcher with Audio Outputs		x O1 No
	Make and Model Country of manufacture Country of origin Processing Switching Type IR Remote, Pushbutton Processing Resolution UHD 4K at 60 Color Processing 8-Bit 4:4:4 YCbCr 10-Bit 4:2:0 YCbCr 12-Bit 4:2:0 YCbCr Input	

/	18
	101
	' /

HDMI (DVI / HDMI 2.0) Female Input Video Format HDMI (8/10/12-Bit 4:2:0 YCC) UHD 4K: 30/60 fps HDMI (8-Bit 4:4:4 YCC) UHD 4K: 30/60 fps Embedded Audio Input HDMI: 7-Channel (per Input) Output Video Output Connectors 2 x HDMI (HDMI 2.0) Female Output Video Format HDMI (8/10/12-Bit 4:2:0 YCC) UHD 4K: 30/60 fps 1080p: 30/60 fps 1080p: 30/60 fps Audio Output Connectors 1 x 1/8" / 3.5 mm TRS Stereo Analog Female 1 x TOSLINK 8-Channel S/PDIF Female Output Audio Format Analog Embedded Audio Output HDMI Connectivity Other I/O 1 x USB Micro-B Firmware Input 2.3 Electric Screen Powder coated white Aluminum casing Convenient mounting system with adjustable mount for easy installation Large roller for ultimate flatness Powered by silent tubular motor for best durability Pre-wired power cord with integrated switch Multi-functional Remote control Screen Size 120"(72"x96") x 04Nos Transmitter:		Video Input Connectors 4 v	I	
Powder coated white Aluminum casing Convenient mounting system with adjustable mount for easy installation Large roller for ultimate flatness Powered by silent tubular motor for best durability Pre-wired power cord with integrated switch Multi-functional Remote control Screen Size 120"(72"x96") 2.4 4K/60 HDMI Extender over CAT 5		Input Video Format HDMI (8/10/12-Bit 4:2:0 YCC) UHD 4K: 30/60 fps HDMI (8-Bit 4:4:4 YCC) UHD 4K: 30/60 fps Embedded Audio Input HDMI: 7-Channel (per Input) Output Video Output Connectors 2 x HDMI (HDMI 2.0) Female Output Video Format HDMI (8/10/12-Bit 4:2:0 YCC) UHD 4K: 30/60 fps 1080p: 30/60 fps Audio Output Connectors 1 x 1/8" / 3.5 mm TRS Stereo Analog Female 1 x TOSLINK 8-Channel S/PDIF Female Output Audio Format Analog Embedded Audio Output HDMI		
Powder coated white Aluminum casing Convenient mounting system with adjustable mount for easy installation Large roller for ultimate flatness Powered by silent tubular motor for best durability Pre-wired power cord with integrated switch Multi-functional Remote control Screen Size 120"(72"x96") 2.4 4K/60 HDMI Extender over CAT 5		Other I/O 1 x USB Micro-B		,
casing Convenient mounting system with adjustable mount for easy installation Large roller for ultimate flatness Powered by silent tubular motor for best durability Pre-wired power cord with integrated switch Multi-functional Remote control Screen Size 120"(72"x96") 2.4 4K/60 HDMI Extender over CAT 5		Firmware Input		
Extender over CAT 5		casing Convenient mounting system with adjustable mount for easy installation Large roller for ultimate flatness Powered by silent tubular motor for best durability Pre-wired power cord with integrated switch Multi-functional Remote control		
			x 04Nos	
The second secon	Extender over CAT 5	Transmitter:		

1	,
EC	9
Tr	1

	Input Signal (1) HDMI, (1) IR; (1) RS232 Input Connector (1) HDMI female; (1) 3.5mm mini jack. (1) 3p captive screw connector Output (1) RJ-45, (1) IR, (1) RS232 Output Connector(1) RJ-45; (1) 3.5mm mini jack. (1) 3-pin captive screw connector Audio (1) Digital audio, transmit through HDMI audio Receiver: Input Signal (1) IR; (1) RJ-45; (1) RS232 Input Connector (1) 3.5mm mini jack; (1) RJ-45; (1) 3p captive screw connector Output (1) HDMI (1) IR (1) RS232 General Resolution Range:640x480@60Hz~4K×2K @30Hz Transmission Mode HDBaseT Transmission Distance 1080p ≤ 70m; 4Kx2K ≤ 40m Bandwidth: 10.2Gbps HDMI Standards - Supports HDMI.4 and HDCP2.2 Impedance: 75Ω Temperature: 0~ 50 C Humidity: 10% ~ 90% External Power Supply Other Required Items HDMI Cables CAT 6 Cables Other Required Items for installation	
3.0 Audio Power		x O1No
Amplifier	Data 10 in in	
	Rated Output Power 600W Frequency Response (SP OUT/1W output) 80Hz~15kHz T.H.D (Rated Output, 1kHz)	



Power Consumption (1/8W output)	Less than 0.5% S/N (Rated Output) More than 70dB Tone Control (100Hz, 10kHz) ± 10 dB Input Sensitivity/Impedance Input 1~5 MIC -50dBu/2k Ω LINE -10dBu/2k Ω Input 6 -10dBu/10k Ω TEL IN 0dBu/10k Ω EXT IN 0dBu/20k Ω MIX Out/Impedance 0dBu/10k Ω Speaker Output Level / Impedance LOW-Z 100V/8 Ω +8 Ω 70V/8 Ω +8 Ω HIGH-Z 100V/16 Ω AC 120-240V, 50/60Hz 160W			
3.1 Mixer Console	8 Channel Analog Mixer	x O1No		
PA Speakers	Inputs 8 Mic input XLR/TRS with Phantom Power, Outputs Master (L/R): 2 x Channel fader XLR Balanced, Aux, Monitor, Headphone Controls, Monitor out Control, 1 x Aux Master Knob Headphone Level: 1 x knob. Phantom power. LED level Meter. High, Mid, Low equalizer Gain: +15 dB/-15 dB Frequency response 50Hz- 15KHz Crosstalk - 83 dB Total harmonic distortion 0.03 % @ +14dBu (20 Hz to 20kHz), GAIN knob: Min, 0.005 % @ +24dBu (1kHz)			
PA Speakers	x 09 Nos of 8Ω/ 60WRMS Wall Mount Speakers are already installed at the location		Occupie d	
3.2 <u>Hand held Wireless</u> <u>Microphone</u>	Selectable UHF channels AA battery operated XLR balanced & 6.3mm unbalanced outputs LED/LCD display	x 02 Nos		
3.3 <u>Clip-on</u> <u>Microphone</u>	Selectable UHF channels	ж 01No		




3.4 Sound cable	Compatible with lavaliere or headset microphone. AA battery operated Equipped with 4P Mini XLR connector. XLR balanced & 6.3mm unbalanced outputs. Belt clip with carrying case 3.5mm to 6.35mm TRS male to male Balanced 30m Audio Cable	x O1No	
3.5 VGA Cable	10m 15 Pin VGA Male to VGA Male Cable, Support resolution:800*600 1024*768 1280*720 1280* 960 1366*768 1440*900 1600*900 1920*1080(1080P Full HD) Applications for Any Devices with a VGA Interface. Gold Plated Connectors for Optimal Conductivity, Oxygen-Free Copper Conductor for Anti-oxidation, PVC Jacket for Durability Two Ferrite Core and Aluminum Foil Shielding for Minimize Crosstalk, Suppress Noise and Protect Against EMI/RFI	x O1No	
4.0 Online UPS	3KVA Wide input range (220V-ÂC±25%) Fully AVR Cold start, Strong generator compatibility Automatic Battery charging in ups off mode Surge Protection with strong electromagnetism compatibility, no electromagnetic interference to load Full time EMI/RFI suppression elimination at high frequency electrical noise. Full Protection against over voltage / low voltage	x O1No	

Installation and	Applied		
	The supplier should install		
commissioning	the Video Conference System		
	according to the General		
	Audiovisual System		
	Standards and guidelines.		
	Supplier must draw the		
	system connection diagram		
	with the Miscellaneous		
	Equipment.		
	Installation charges for the		
	above system inclusive other		
	additional accessories and		
	the cables if need there		
	should be supplied & stated by the bidder.		
	by the bidder.		

Warranty period	Two years comprehensive.		
	Bidder should provide a		
	replacement, if the system is		
	taking out for repairs and		
	vender must do the		
AVV CO (II)	transportation of the system.		
AV-TO (i) KDU FAHS			
® 2204.3			






Delegate 1

Delegate 4

Delegate 45

Delegate 46





	SPECIMEN FORM OF BID S	SECURITY				
firmly boun	this Bond we					
bind themsel Who	lves their successors and assigns jointly and severally by ereas the authority has invited the Tender and other pers	those presents. ons to compete tenders in similar terms for the supply				
submit the sa called "the B honour certain	ame for the consideration of the Authority, and the Bidd Bid") in accordance with such invitation, the Bond shall in obligations to be undertaken by him in the Tender in a nditions of this Bond are:	er proposes to submit to the Authority a Bid (hereafter provide security to the Authority that the Bidder will				
(a)	That it shall remain in full force and effect until the	earliest of				
	(i) (Date), being () days from (submission date), the date stipulated by the Authority for the submission of tenders, or any prolongation of such date above notified to the Authority by the Bidder and the Surety in writing.					
	(ii) In the event of acceptance of the Tende provides a performance security to the Authority made between them, or	er by the Authority, the date upon which the Bidder in accordance with the terms of the contract thereby				
(b) Bon	(b) Subject to this Bond being in full force and effect, the Surety shall pay the full amount specified in this Bond upon receipt of first written demand form the Authority stating that.					
	(i) The Bidder has withdrawn his Tender during the validity of this Bond, or					
	(ii) The Bidder has failed to provide a performance security to the Authority in accordance with the terms of the tender within 14 days from receipt of intimation of award of the Tender.					
or thing conc	alteration in the terms of the Tender, nor any forbearancerning the Tender on the part of the Authority, nor any any liability under this Bond.	ce of forgiveness in or in respect of neither any matter objection from the bidder shall in any way release the				
the Authority	be benefit of this Bond shall not be assignable by the Authors shall return the same to the Bidder. s Bond shall be governed by the laws of Sri Lanka	ority and upon its ceasing to be in full force and effect				
I	executed as a deed on this () day of () 20 ()				
For	and on behalf of the Bidder	For and on behalf of the Surety				
Sigr	ned by	Signed by				
In th	he capacity of	In the capacity of				
and	by	and by				
In th	he capacity of	In the capacity of				

Seal (where applicable)

Seal (where applicable)

DELIVERY SCHEDULE

(IT IS MANDATORY TO F	ILL THE FOLLO	WING SCHEDUI	LE BY THE BID	DER)
TENDER NO:				
ITEM :				
QTY :				
DURATION		QTY		
EX STOCK QTY (WITHIN	01 WEEK)			
01MONTH				
02 MONTHS				
03 MONTHS				
04 MONTHS				
TOTAL				
NAME OF THE BIDDER	:			
SIGNATURE OF BIDDER	i			
DATE	:			
COMPANY SEAL	:	:		