

Tender No:

KDU/PRO/CAP/140/2022



General Sir John Kotelawala Defence University,
Kandawala Estate, Ratmalana,
Sri Lanka.
T: Phone: 2632028 , 2622995
Fax : 2622504, 2623599
Web: www.kdu.lk

26/ 04 /2022

INVITATION TO BID AND GENERAL CONDITIONS OF TENDER

1. The Vice Chancellor of the General Sir John Kotelawala Defence University, as the Chairman, Department Procurement Committee Invites Bid/s from prospective Bidders for supply of **item/s listed in the schedule in Annex “A”. The relevant specifications of the item/s are indicated in Annex “B”.**

2. **CLOSING DATE & TIME.** The tender will close at 1000 hrs. on 17 /05 /2022. Any Bid submitted after the closing time of the tender will be rejected & unopened such bids will be returned to the bidder.

3. **VALIDITY OF BID.** The bid submitted under this tender **must be valid for a period of 120 days from the date of closing of tender.**

4. **BID BOND / GUARANTEE.**
(a) If the quoted bid value exceeds Rs: 2,000,000.00, such Bids should be accompanied with 1% of Bid Value an “on demand” and “unconditional” Bid Bond/Guarantee for a sum of **Rs:** in the format given in Annex “C” through a recognized local Bank or Insurance Company registered in Sri Lanka which is authorized by the Insurance Board of Sri Lanka to issue such Bid Guarantees. All Bid Bond/Guarantees should be valid for at least 30 days more than the validity period of bids, ie, for 150 days from the date of Bid opening. **Cheques will not be accepted as Bid Guarantee.**

(b) Submission of insufficient Bid Bond/Guarantee value or period will be considered as a “**major deviation**” and such offer will not be considered for further procurement action and will be rejected.

5. **VALUE ADDED TAX.** The Bidders who bid for locally delivered items must have the VAT registration. The VAT portion must be shown separately in the price schedule in Annex “A” and VAT registration number must be indicated. If the quoted item is exempted from VAT or Bidding Company is not liable for VAT, reference number and date of relevant Act number/Gazette notification/a certificate (as applicable) **issued for the current financial year** from the Commissioner General of Inland Revenue to that effect should be submitted along with the Bid.

6. **BID SUBMISSION.** The **bidder must duly sign at the last page (before Annexes) of this document** indicating the name of the signatory and the name of the company & place the company common seal to confirm the acceptance of tender conditions. **The Bid/s that do not include authorized signature will be rejected.** The Bid/s duly signed by the bidder enclosed and sealed in an appropriate cover addressed to the following address should be sent by registered post or could be deposited in the **appropriate tender box placed at General Sir John Kotelawala Defence University, Kandawala Estate, Ratmalana** (at the Main Entrance of General Sir John Kotelawala Defence University) on or before the time & date specified for the closing of tender. **The tender reference number, date & time of closing tender should be indicated & underlined at the top left corner of the envelop.**

Tender Ref No
Closing Date & Time

The Chairman,
Department Procurement Committee,
General Sir John Kotelawala Defence University,
Kandawala Estate, Ratmalana,
Sri Lanka.

7. The Bid/s must be submitted in the attached schedule of prices in Annex “A” as applicable. However, bidders could use similar formats prepared with their own letter heads with all the details mentioned therein and submit in **three copies along with duly signed copy of a General Conditions of tender.** The Bid/s must contain **Technical Literature, Pamphlets, Drawings and Quality Standard Certificate etc** necessary to determine characteristics of items offered and in case of Machinery/Vehicles & Equipment, servicing and workshop data/after sales service, back up facilities or any other facilities provided by the supplier.

8. **SUBMISSION OF SAMPLES/PAYMENT OF TESTING CHARGES.**
When it is required to submit samples, **every offer** must be accompanied with pre - marked samples. The marking of samples **indicating the Bidder & Offer number** must be done and the samples must be handed over to the officer at same place where tender box is placed **on or before the closing date & time of the Bid.** Samples submitted after closing time of the Bid will be rejected. The documents such as Air Way Bills etc, will not be accepted in place of samples. When the testing charges are required to be paid, bidders shall pay testing charges separately **for all offers** indicated in their bid/s.

- (1) **Samples.** Please submit..... samples.
- (2) **Testing Charges.** A sum of Rs **per offer** must be paid to the Bursar of KDU, prior to the submission of bid and a copy of the receipt must be annexed to the bid. It is the responsibility of bidder to inform the Cashier of the Account Office to note the tender number on the receipt issued for such payments.

8. **BID OPENING.** All duly received bids **will be opened immediately after the scheduled closing time of Bids at the same venue.** Bidders or their accredited agents could be present at the time of opening of bids.

9. PRICES.

For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to General Sir John Kotelawala Defence University Ratmalana, Faculty of Allied Health Science (FAHS) Werahera and University Hospital Werahera or Southern Campus Sooriyawewa. **Unit price, VAT and Total price should be clearly indicated in schedule in Annex "A".** Other than VAT, all other type of taxes (eg : NBT, BTT, etc.) should not be indicated separately and should be included in unit price.

10. RESTRICTED TENDERS.

Invitation to Bids are circulated among the registered suppliers with Ministry of Defence (MOD), only bids submitted by registered suppliers will be allowed for consideration. However, Chairman, Department Procurement Committee reserves the right to invite the bids from multiple combinations of Procurement Methods as stipulated in Chapter III of the Government Procurement Guideline, 2006 to ensure highest competitiveness.

11. PERFORMANCE BOND/GUARANTEE.

A successful bidder shall furnish a Performance Bond/Guarantee in the form of "On Demand" & "Unconditional" Bank/Insurance Guarantee for a sum equivalent to 10% of the contract value for every contract that exceeds Rs. 2,000,000.00 or equivalent amount in foreign currency through a recognized Commercial Bank registered in Sri Lanka or through an Insurance Company authorized by the Insurance Board of Sri Lanka to issue such Performance Guarantee for this purpose, **within two weeks from the date of notification of award.** The proceeds of the Performance Bond/Guarantee shall be payable to the Vice Chancellor of the General Sir John Kotelawala Defence University as compensation for any loss resulting from the supplier's failure to complete his performance obligations under the contract. If the contracted supplier fails to deliver the items on time or fails to complete the works as per the agreed contract, **THE TOTAL VALUE OF THE PERFORMANCE BOND/GUARANTEE** will be forfeited. If only partial delivery is made during the agreed contract period, the corresponding value percentage of undelivered quantity from the Performance Bond/Guarantee will be forfeited.

12. SIGNING OF CONTRACT.

The notification of award will be transmitted to the successful bidder by post, by fax or e-mail. This notification constitutes the formation of the contract. The successful bidder should submit his written acceptance for the award and performance bond / guarantee (For awards over Rs. 500,000.00 without VAT) within 14 days of receipt of such notification. Upon acceptance of the award and furnishing of the Performance Bond/Guarantee, the successful bidder will have to enter into a formal contract with the Vice Chancellor of the General Sir John Kotelawala Defence University by signing the Contract.

13. DELIVERY.

Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of **total quantity must be completed within 120 days of signing of contract,** unless mutually agreed for extended delivery period with General Sir John Kotelawala Defence University. **The bidder/s must indicate the proposed delivery schedule in Annex "D".** In the event of placing a purchase order with the successful bidder, the total quantity so ordered must be supplied as one consignment unless part deliveries are agreed upon in the contract. The deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and **no extended delivery period will be authorized.** Under extreme unavoidable conditions too, the Chairman, Department Procurement Committee (Vice Chancellor of the General Sir John Kotelawala Defence University) reserves the right to grant or refuse delivery period extensions only within the current financial year with or without liquidated claim for delayed deliveries and that decision will be final.

14. LIQUIDATED DAMAGES.

In case of delivery period extensions requested by the successful bidder, a sum equivalent to 1% of the total value of the delayed supply per delay of one week or part thereof may be deducted from the payment due to the supplier from the General Sir John Kotelawala Defence University as liquidated damages up to the maximum limit of 12% of the total value of delayed supplies.


15. PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS.

Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by General Sir John Kotelawala Defence University authorities. The delivery made to the General Sir John Kotelawala Defence University should not be considered as quantities taken over by General Sir John Kotelawala Defence University until items are properly accepted after pre-acceptance inspection. Any item that does not conform to the specifications or already approved sample will be rejected & it is the responsibility of the supplier to remove them from General Sir John Kotelawala Defence University stores/premises within 07 working days of such intimation (either verbal or written) at his own cost and replace them with items conforming to specification within one month of such rejection. The bidder shall allow approximately 60-90 days' period of credit from the date of acceptance of items for Account Office, General Sir John Kotelawala Defence University to obtain liquid cash from General Treasury & release the payment.

16. RIGHTS OF THE PROCUREMENT COMMITTEE.

The Department Procurement Committee reserve the right to accept or reject whole or part of this tender and their decision will be final. The successful bidders will be notified. Information with regard to rejected or unsuccessful bids will not be communicated.

Thanking You,
Yours faithfully,


SA Kumaranayaka
For Vice Chancellor
General Sir John Kotelawala Defence University

I/We agree to abide by the conditions of tender and undertake to supply the items as per delivery schedule mentioned in the contract, in the event of an order been placed with me/my firm/company as a result of this tender.

..... Signature

..... Name of Signatory

.....Name of the Company/Bidder

Date :-

Company seal

SCHEDULE OF PRICES FOR LOCALLY DELIVERED ITEMS

| S/N | ITEMS | DENO | QTY | PRICE EACH SLRS | TOTAL PRICE SLRS |
|-----|----------------------------------------------------------|------|-----|-----------------|------------------|
| | <u>PURCHASE OF LAB EQUIPMENT FOR FOT</u> | | | | |
| 01 | Vortex Apparatus | No's | 1 | | |
| 02 | Refrigerant Leak Detector | No's | 1 | | |
| 03 | Butane gas torch | No's | 5 | | |
| 04 | Oxygen Acetylene Oxy Welding Cutting Weld Torch Tank Kit | No's | 1 | | |
| 05 | Mechanical equivalent of heat apparatus | No's | 1 | | |
| | | | | | |
| | <i>Specification Attached</i> | | | | |
| | TOTAL | | | | |
| | DISCOUNT | | | | |
| | TOTAL(AFTER DISCOUNT) | | | | |
| | VAT % | | | | |
| | GRAND TOTAL | | | | |

(A) OTHER DETAILS

- (i) DELIVERY PERIOD -
- (ii) MAKE & MODEL -
- (iii) VALIDITY PERIOD -
- (iv) WARRANTY PERIOD -
- (v) PAYMENT TERMS - CREDIT
- (vi) COUNTRY OF ORIGIN -
- (vii) DISCOUNT IF ANY -
- (viii) ANY OTHER TAXES -

(B) VAT DETAILS

- VALUE ADDED TAX PERMANENT REGISTRATION CERTIFICATE / VAT EXEMPTION LETTER ISSUED BY DEPARTMENT OF INLAND REVENUE TO BE ATTACHED

(C) PLACE OF DELIVERY

- ITEMS TO BE DELIVERED TO THE "GENERAL SIR JOHN KOTELAWALA DEFENCE UNIVERSITY, KANDAWALA STATE, RATMALANA ALONG WITH THE COPY OF ORDER AND RELEVANT INVOICE.

- (D) Any queries / information with regard to this procurement / tender could be obtained from Officer Commanding Logistics Services office at General Sir John Kotelawala during working hours.**

NOTE: UNIT PRICE AND TOTAL PRICE ARE TO BE INDICATED CLEARLY IN THE TENDER, IF NOT QUOTATION WILL BE REJECTED.

SUPPLIER NAME -

ADDRESS -

CONTACT NUMBER -

E MAIL ADDRESS -

Company Seal

(E) Bid Reference: KDU/PRO/CAP/ 140/2022

.....
DATE

Technical Specifications

Vortex Apparatus

Item Code: KDU – Vortex Apparatus

Description- Complete Vortex Apparatus to demonstrate the phenomena of free and fixed vortices with measuring devices for calculating the water surface profile.

Quantity - 1

| 1 | 2 | 3 | 4 | 5 | 6 |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-------------------|-----------|-----------------------------------|
| | KDU Requirements | | | | Bidder's Offer¹ |
| | | Priority² | Conformity | | Remarks³ |
| | | | Yes | No | |
| 1. | Electrical characteristics <ul style="list-style-type: none"> i. A 240V +/- 10%, 50Hz/60Hz electrical source ii. Protection against over-voltage and over-current line conditions iii. Compliance with applicable current IEE regulations, EC directives, Sri Lankan standards, and regulations. All associated components shall carry the CE marking on them. iv. The equipment shall have Protection against electric shock "Class" 1. | C | | | |
| | | C | | | |
| | | O | | | |
| | | C | | | |

| | | | | | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--|--|--|--|
| 2. | <p>Components</p> <p>The unit shall consist of</p> <ul style="list-style-type: none"> i. Vortex vessel: (600 – 700) mm x (350-450) mm x (550-650) mm and 15-20 kg ii. Speed controller: 250 mm x 270 mm x 110 mm and 3.5 kg iii. Transparent Cylinder: Approximately 380 mm wide x 180 mm deep iv. Perforated Cylinder: (250-300) mm wide x (150-200) mm deep v. Instrumentation: Traverse probe and Pitot tube with scales calibrated in millimeters | C | | | | |
| 3. | <p>Warranty, Services Agreements and Documentation</p> <ul style="list-style-type: none"> i. All sub-items described in this schedule should be covered by a warranty for a period of not less than 36 calendar months from the date of successful commissioning of the equipment including for any defect in the manufacturing process, workmanship, and all accessories. ii. The technology manuals having full details of installation, operations, service, and maintenance in the English language must be made available in duplicate at the time of installation and commissioning. iii. Spares / replaceable items/ consumables required for the system must be guaranteed for supply over a period of 10 years from the date of installation. The price list for such items over a period of 10 years from the date of installation should be made available. iv. A sample unit must be available for demonstration and performance evaluation at the request of TEC. | C | | | | |

| | | | | | | |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--|--|--|--|
| | v. Prospective suppliers must provide documentary evidence of their previous experience with similar units installed in Sri Lanka as well as evidence of the reliability of after-sales services provided. vi. The successful bidder shall also install and commission the equipment at the Faculty of Technology KDU. vii. Training should be provided to end-users in respect of operation, handling, and maintenance of the equipment supplied. | O C O | | | | |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|--|--|--|--|

Make & Model:

Country of Manufacture:

Relevant catalogues & technical information attached.

Information given under “Bidder’s Offer” is true and correct.

Bidder’s Name, signature & Date

Company seal

¹ Bidder shall fill in Col. 4, 5 & 6

² Purchaser will mark C for critical requirements and O for optional requirements

³ If the bidder has marked No for Conformity, the bidder shall provide information in this column of his offer against the clause concerned in col. 2 (Purchaser’s requirements). If the bidder has marked Yes, Bidder has the option of providing additional information to establish that it conforms to the specification given

⁴ Bidder shall include proof to support the conformity of the specification e.g. document and the page number in the original user/service manual mentioning the specification.

Technical Specifications

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| <ul style="list-style-type: none"> i. Refrigerant Leak Detector (1 Nos) <ul style="list-style-type: none"> a. To detect CFC, HFC and HCFC refrigerant (including mixture) b. Sensor 0.2Oz/ yr sensitivity c. Tube length 340mm/15.35 inches d. Goose neck for hard-to-reach areas ii. Butane gas canister <ul style="list-style-type: none"> a. Weight of 200g -400g b. Safe re-sealable iii. Butane Gas Torch (shall be compatible with item 1-vii Butane gas canister) <ul style="list-style-type: none"> a. Manual ignition b. Convenient and easy to use with the range of 200-400-gram cartridge. c. Can Safely be rotated and used at all angles iv. Brazing filler metal Pack (pack shall contain not less than 20 filler metal rods) <ul style="list-style-type: none"> a. 70-80% Cu, 10-20% P and 2-8% Ag b. Length approximately 500 mm c. Melting Range 900°C to1000°C d. Thickness 3mm-3.5mm e. Width 300-3.5mm | <p>C</p> <p>C</p> <p>C</p> <p>C</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|

Technical Specifications

Oxygen Acetylene Oxy Welding Cutting Weld Torch Tank Kit

Item Code: KDU –Oxygen Acetylene Oxy Welding Cutting Weld Torch Tank Kit

Description – Essential for braze welding of copper pipes in Air conditioning and Refrigeration system

Quantity – 1

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|------------------|---|---|---|-----------------------------|
| | KDU Requirements | | | | Bidder's Offer ¹ |

| | | Priority ² | Conformity | | Proof ⁴ | Remarks ³ |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------|----|--------------------|----------------------|
| | | | Yes | No | | |
| 1. | <p>Oxygen Acetylene Oxy Welding Cutting Weld Torch Tank Kit.</p> <p>I. Oxygen Cylinder</p> <p>f. Blue colour Oxygen Hose length minimum 5 m</p> <p>g. Cylinder pressure 150 – 160 bar</p> <p>h. Cylinder capacity 35 liter to 50 liter</p> <p>i. Full cylinder weight 60kg – 70kg</p> <p>j. Standard colour black</p> <p>k. Valve shall be made of fire retardant material</p> <p>l. Shall have safety valve and inlet filter</p> <p>m. Fusible plug</p> <p>II. Acetylene Cylinder</p> <p>a. Red colour Oxygen Hose length 5 m</p> <p>b. Cylinder pressure 15 bar to 20 bar</p> <p>c. Cylinder capacity 30 liter to 40 liter</p> <p>d. Full cylinder weight 80kg – 90kg</p> <p>e. Standard colour maroon/ red</p> <p>f. Fusible plug</p> <p>III. Regulators (1 no. for Oxygen gas and 1 no. for Acetylene gas)</p> <p>a. Double Stage Regulators conforming</p> <p>b. For use in indoor, as well as, outdoor conditions Stainless steel diaphragm in first stage to absorb shock of inlet pressure and flexible rubber diaphragm in second stage for fine gas control</p> <p>c. Shall have two pressure gauges – one to indicate the inlet pressure and the other to indicate the outlet pressure</p> <p>d. Shall have pressure adjusting knob for adjusting working pressure</p> <p>e. Second stage plenum chamber volume shall be at least five times than first stage for stable flow characteristics</p> | C | | | | |
| | | C | | | | |
| | | C | | | | |

| | | | | | | |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--|--|--|--|
| | <ul style="list-style-type: none"> f. Forged brass body and cap spring g. Valve shall be made of fire retardant material h. Shall have safety valve and inlet filter i. Max Inlet pressure 230 Bar for oxygen and 20 bar for acetylene j. Max outlet pressure 10 bar for oxygen and 1.5 acetylene k. Max flow 1000 LPM for oxygen and 250 LPM for acetylene l. Inlet connection 5/8" BSP R/H (Male) for both oxygen regulator and acetylene m. Outlet Connection 3/8" BSP R/H (Male) for both oxygen regulator and acetylene <p>IV. Cutting Blowpipe</p> <ul style="list-style-type: none"> a. Injector type hand cutting blowpipe for use with dissolved Acetylene Cylinders b. Body and head made of forged brass c. Swaged nozzles to ensure parallel beam of heating flame d. Shall consist of Blowpipe 1 no., Cutting Nozzle ,1 no., Nut & Nipple for hose connection of both Oxygen and Acetylene gas e. Cutting capacity 5mm- 50mm thick copper pipes f. Angled head 90° <p>V. Cutting Nozzles</p> <ul style="list-style-type: none"> a. Cutting nozzles compatible with blowpipe (Sl. No. IV) Nozzle tip diameter 2mm, 3mm and 4mm <p>VI. Safety goggles for gas welding (5 Nos)</p> <ul style="list-style-type: none"> a. PVC body b. Neck strap c. Coloured lenses <p>VII. Safety gloves for gas welding (5 Nos)</p> <ul style="list-style-type: none"> a. Material: Cowhide | C | | | | |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--|--|--|--|

| | | | | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--|--|--|--|
| 2. | Warranty, Services Agreements and Documentation i. All components and modules described in this schedule should be covered by a warranty for a period of not less than 24 calendar months from the date of purchase of the equipment including for any defect in manufacturing process, workmanship and all accessories. ii. The technology manuals having full details of installation, operations, service and maintenance in the English language must be made available in duplicate at the time of installation and commissioning. | C | | | | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--|--|--|--|

Make & Model:

Country of Manufacture:

Relevant catalogues & technical information attached.

Information given under “Bidder’s Offer” is true and correct.

Bidder’s Name, signature & Date

Company seal


Technical Specifications

Mechanical equivalent of heat apparatus

Item Code: KDU – Mechanical equivalent of heat apparatus

Description – Essential for plying energy conservation principle for a real thermodynamics system

Quantity – 1

| 1 | 2 | 3 | 4 | 5 | 6 | |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------|-----------|-----------------------------------|--------------------------|
| | KDU Requirements | | | | Bidder's Offer¹ | |
| | | Priority² | Conformity | | Remarks³ | |
| | | | Yes | No | | Proof⁴ |
| 1. | <p>Mechanical equivalent of heat apparatus.</p> <p>VIII. Base a. Compactable to clamp on a table of thickness 1 inch - 2.5 inch</p> <p>IX. Cylinder a. The diameter of the cylinder 5cm – 20 cm</p> <p>X. crank a. handle length 10cm – 30cm</p> <p>XI. counter with a built-in table clamp</p> <p>XII. Nylon rope a. length 3m to 4m</p> <p>XIII. Weights a. 1kg -10kg</p> <p>XIV. Digital thermometer a. Compactable to measure -10⁰C -100⁰C</p> <p>XV. Thermistor a. Temperature range 0⁰C-100⁰C b. Accuracy not more than +/- 2⁰C</p> |  C C | | | | |
| 2. | <p>Warranty, Services Agreements and Documentation</p> <p>iii. All components and modules described in this schedule should be covered by a warranty for a period of not less than 12 calendar months from the date of purchase of the equipment including for any defect in manufacturing process, workmanship and all accessories.</p> <p>iv. The technology manuals having full details of installation, operations, service and maintenance in the English language must be made available in</p> | C C | | | | |

| | | | | | | |
|--|----------------------------------------------------------|--|--|--|--|--|
| | duplicate at the time of installation and commissioning. | | | | | |
|--|----------------------------------------------------------|--|--|--|--|--|

Make & Model:

Country of Manufacture:

Relevant catalogues & technical information attached.

Information given under "Bidder's Offer" is true and correct.

Bidder's Name, signature & Date

Company seal

SPECIMEN FORM OF BID SECURITY

By this Bond we (hereinafter called "the Bidder") and We (name of bank or insurance company) whose registered office is at (hereinafter called "the Surety") are held and firmly bound onto (hereinafter called the Authority") in the sum of for the payment of which sum the Bidder and the Surety bind themselves their successors and assigns jointly and severally by those presents.

Whereas the authority has invited the Tender and other persons to compete tenders in similar terms for the supply of and to submit the same for the consideration of the Authority, and the Bidder proposes to submit to the Authority a Bid (hereafter called "the Bid") in accordance with such invitation, the Bond shall provide security to the Authority that the Bidder will honour certain obligations to be undertaken by him in the Tender in accordance with the following conditions.

Now the Conditions of this Bond are:

- (a) That it shall remain in full force and effect until the earliest of
 - (i) (Date), being () days from (submission date), the date stipulated by the Authority for the submission of tenders, or any prolongation of such date above notified to the Authority by the Bidder and the Surety in writing.
 - (ii) In the event of acceptance of the Tender by the Authority, the date upon which the Bidder provides a performance security to the Authority in accordance with the terms of the contract thereby made between them, or
- (b) Subject to this Bond being in full force and effect, the Surety shall pay the full amount specified in this Bond upon receipt of first written demand form the Authority stating that.
 - (i) The Bidder has withdrawn his Tender during the validity of this Bond, or
 - (ii) The Bidder has failed to provide a performance security to the Authority in accordance with the terms of the tender within 14 days from receipt of intimation of award of the Tender.

No alteration in the terms of the Tender, nor any forbearance of forgiveness in or in respect of neither any matter or thing concerning the Tender on the part of the Authority, nor any objection from the bidder shall in any way release the Surety from any liability under this Bond.

The benefit of this Bond shall not be assignable by the Authority and upon its ceasing to be in full force and effect the Authority shall return the same to the Bidder.

This Bond shall be governed by the laws of Sri Lanka

I executed as a deed on this () day of () 20 ()

For and on behalf of the Bidder

Signed by.....

In the capacity of -----

and by.....

In the capacity of -----

Seal (where applicable)

For and on behalf of the Surety

Signed by

In the capacity of -----

and by

In the capacity of -----

Seal (where applicable)

DELIVERY SCHEDULE

(IT IS MANDATORY TO FILL THE FOLLOWING SCHEDULE BY THE BIDDER)

TENDER NO :

ITEM :

QTY :

| DURATION | QTY |
|-------------------------------|-----|
| EX STOCK QTY (WITHIN 01 WEEK) | |
| 01MONTH | |
| 02 MONTHS | |
| 03 MONTHS | |
| 04 MONTHS | |
| TOTAL | |

NAME OF THE BIDDER :

SIGNATURE OF BIDDER :

DATE :

COMPANY SEAL :