Tender No:		
KDU/PRO/CAP/80/2022		General Sir John Kotelawala Defence University, KandawalaEstate, Ratmalana, Sri Lanka. T: Phone: 2632028, 2622995 Fax: 2622504, 2623599 Web:www.kdu.lk
		16 / 09 / 2022
INVITATION TO BID AND GENERAL CO	NDITIONS OF TENDER	
	lders for supply of item/s lis	Iniversity, as the Chairman, Department Procurement sted in the schedule in Annex "A". The relevant
2. <b>CLOSING DATE &amp; TIME</b> . the closing time of the tender will be rejected &		1000 hrs. on $$ 11 /10/2022. Any Bid submitted after turned to the bidder.
3. <b>VALIDITY OF BID.</b> The from the date of closing of tender.	e bid submitted under this tend	der <u>must be valid for a minimum period</u> of 77 days
demand" and "unconditional" Bid Bond/Guarar a recognized local Bank or Insurance Company	ntee for a sum of <b>Rs:</b> r registered in Sri Lanka which antees should be valid for at l	s should be accompanied with 1% of Bid Value an "on in the format given in Annex "C" through is authorized by the Insurance Board of Sri Lanka to east 30 days more than the validity period of bids, ie, <b>Bid Guarantee</b> .
(b) Submission of insufficient Bio such offer will not be considered for further pro-		eriod will be considered as a "major deviation" and ejected.
portion must be shown separately in the price scitem is exempted from VAT or Bidding Compar	chedule in Annex "A" and VA ny is not liable for VAT, refer or the current financial year	d items must have the VAT registration. The VAT T registration number must be indicated. If the quoted ence number and date of relevant Act number/Gazette_from the Commissioner General of Inland Revenue to
indicating the name of the signatory and the name tender conditions. The Bid/s that do not include enclosed and sealed in an appropriate cover a deposited in the appropriate tender box place. Ratmalana (at the Main Entrance of General S.	ne of the company & place the ude authorized signature will didressed to the following ad ced at General Sir John K Sir John Kotelawala Defence U	the last page (before Annexes) of this document e company common seal to confirm the acceptance of ill be rejected. The Bid/s duly signed by the bidder dress should be sent by registered post or could be totelawala Defence University, Kandawala Estate. University) on or before the time & date specified for tender should be indicated & underlined at the top
Tender Ref No :	The Chairman	1,

Closing Date & Time:..... Department Procurement Committee, General Sir John Kotelawala Defence University, Kandawala Estate, Ratmalana,

The Bid/s must be submitted in the attached schedule of prices in Annex "A" as applicable. However, bidders could use similar formats prepared with their own letter heads with all the details mentioned therein and submit in three copies along with duly signed copy of a General Conditions of tender. The Bid/s must contain Technical Literature, Pamphlets, Drawings and Quality Standard Certificate etc necessary to determine characteristics of items offered and in case of Machinery/Vehicles &

Sri Lanka.

Equipment, servicing and workshop data/after sales service, back up facilities or any other facilities provided by the supplier. 8. SUBMISSION OF SAMPLES/PAYMENT OF TESTING CHARGES.

When it is required to submit samples, every offer must be accompanied with pre - marked samples. The marking of samples indicating the Bidder & Offer number must be done and the samples must be handed over to the officer at same place where tender box is placed on or before the closing date & time of the Bid. Samples submitted after closing time of the Bid will be rejected. The documents such as Air Way Bills etc, will not be accepted in place of samples. When the testing charges are required

(1	)	Samples.	Please submit	samples.
----	---	----------	---------------	----------

to be paid, bidders shall pay testing charges separately **for all offers** indicated in their bid/s.

A sum of Rs. ..... per offer must be paid to the Bursar of KDU, prior to the submission of bid and a copy of the receipt must be annexed to the bid. It is the responsibility of bidder to inform the Cashier of the Account Office to note the tender number on the receipt issued for such payments.

BID OPENING. All duly received bids will be opened immediately after the scheduled closing time of Bids at the same venue. Bidders or their accredited agents could be present at the time of opening of bids.

### 9. PRICES.

For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to General Sir John Kotelawala Defence University Ratmalana, Faculty of Allied Health Science (FAHS) Werahera and University Hospital Werahera or Southern Campus Sooriyawewa. <u>Unit price, VAT and Total price should be clearly indicated in schedule in Annex "A"</u>. Other than VAT, all other type of taxes (eg: NBT, BTT, etc.) should not be indicated separately and should be included in unit price.

- 10. **RESTRICTED TENDERS**. Invitation to Bids are circulated a mong the registered suppliers with Ministry of Defence (MOD), only bids submitted by registered suppliers will be allowed for consideration. However, Chairman, Department Procurement Committee reserves the right to invite the bids from multiple combinations of Procurement Methods as stipulated in Chapter III of the Government Procurement Guideline, 2006 to ensure highest competitiveness.
- 11. **PERFORMANCE BOND/GUARANTEE.** A successful bidder shall f u r n i s h a Performance Bond/Guarantee in the form of "On Demand" & "Unconditional" Bank/Insurance Guarantee for a sum equivalent to 10% of the contract value for every contract that exceeds Rs. 2,000,000.00 or equivalent amount in foreign currency through a recognized Commercial Bank registered in Sri Lanka or through an Insurance Company authorized by the Insurance Board of Sri Lanka to issue such Performance Guarantee for this purpose, **within two weeks from the date of notification of award**. The proceeds of the Performance Bond/Guarantee shall be payable to the Vice Chancellor of the General Sir John Kotelawala Defence University as compensation for any loss resulting from the supplier's failure to complete his performance obligations under the contract. If the contracted supplier fails to deliver the items on time or fails to complete the works as per the agreed contract, **THE TOTAL VALUE OF THE PERFORMANCE BOND/GUARANTEE** will be forfeited. If only partial delivery is made during the agreed contract period, the corresponding value percentage of undelivered quantity from the Performance Bond/Guarantee will be forfeited.
- 12. SIGNING OF CONTRACT. The notification of award will be transmitted to the successful bidder by post, by fax or e-mail. This notification constitutes the formation of the contract. The successful bidder should submit his written acceptance for the award and performance bond / guarantee (For awards over Rs. 500,000.00 without VAT) within 14 days of receipt of such notification. Upon acceptance of the award and furnishing of the Performance Bond/Guarantee, the successful bidder will have to enter into a formal contract with the Vice Chancellor of the General Sir John Kotelawala Defence University by signing the Contract.
- 13. **DELIVERY.** Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of **total quantity must be completed within 120 days of signing of contract**, unless mutually agreed for extended delivery period with General Sir John Kotelawala Defence University. **The bidder/s must indicate the proposed delivery schedule in Annex "D"**. In the event of placing a purchase order with the successful bidder, the total quantity so ordered must be supplied as one consignment unless part deliveries are agreed upon in the contract. The deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and **no extended delivery period will be authorized**. Under extreme unavoidable conditions too, the Chairman, Department Procurement Committee (Vice Chancellor of the General Sir John Kotelawala Defence University) reserves the right to grant or refuse delivery period extensions only within the current financial year with or without liquidated claim for delayed deliveries and that decision will be final.
- 14. **LIQUIDATED DAMAGES.** In case of delivery period extensions requested by the successful bidder, a sum equivalent to 1% of the total value of the delayed supply per delay of one week or part thereof may be deducted from the payment due to the supplier from the General Sir John Kotelawala Defence University as liquidated damages up to the maximum limit of 12% of the total value of delayed supplies.
- 15. PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS. Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by General Sir John Kotelawala Defence University authorities. The delivery made to the General Sir John Kotelawala Defence University should not be considered as quantities taken over by General Sir John Kotelawala Defence University until items are properly accepted after pre-acceptance inspection. Any item that does not conform to the specifications or already approved sample will be rejected & it is the responsibility of the supplier to remove them from General Sir John Kotelawala Defence University stores/premises within 07 working days of such intimation (either verbal or written) at his own cost and replace them with items conforming to specification within one month of such rejection. The bidder shall allow approximately 60-90 days' period of credit from the date of acceptance of items for Account Office, General Sir John Kotelawala Defence University to obtain liquid cash from General Treasury & release the payment.
- 16. **RIGHTS OF THE PROCUREMENT COMMITTEE**. The Department Procurement Committee reserve the right to accept or reject whole or part of this tender and their decision will be final. The successful bidders will be notified. Information with regard to rejected or unsuccessful bids will not be communicated.

Thanking You,
Yours faithfully,
SA Kumaranayaka
SA Kumaranayaka
For Vice Chancellor
General Sir John Kotela

For Vice Chancellor
General Sir John Kotelawala Defence University

I/We agree to abide by the conditions of tender and undertake to supply the items as per delivery schedule mentioned in the contract, in the event of an order been placed with me/my firm/company as a result of this tender.

Signature

Name of Signatory

Date :- ..... Company seal

......Name of the Company/Bidder

**DATE** 

### SCHEDULE OF PRICES FOR LOCALLY DELIVERED ITEMS

S/N	ITEMS		DENO	QTY	EACH SLRS	TOTAL PRICE SLRS
	PURCHASE OF WIRED CONFER	RENCE				
	PA SYSTEM FOR (SENATE)	<u> Livel</u>				
	BOARDROOM					
01	Wired Conference PA System		No's	01		
	(Camera Tracking with 46 Microph	ones)				
	Attached the Specification					
	. Location should be visited prior to	submit				
	the tender					
	TOTAL					
	DISCOUNT					
	TOTAL(AFTER DISCOUNT)					
	VAT %					
	GRAND TOTAL					
			•	I.		•
<b>(A)</b>	OTHER DETAILS					
(11)	(i) DELIVERY PERIOD	_				
	(ii) MAKE & MODEL	-	•••••	• • • • • • • • • •	•••••	•••••
	` '	-	•••••	• • • • • • • • • • • • • • • • • • • •	•••••	••••••
	(iii) VALIDITY PERIOD	-	•••••	• • • • • • • • • • • • • • • • • • • •	•••••	•••••
	(iv) WARRANTY PERIOD	-	~~~~		•••••	•••••
	(v) PAYMENT TERMS	-	CREDI	T		
	(vi) COUNTRY OF ORIGIN	-	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••
	(vii) DISCOUNT IF ANY	-	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••
	(viii) ANY OTHER TAXES	-	•••••	••••••	•••••	•••••
( <b>P</b> )	VAT DETAILS		<b>37 A T T</b> TI		TAV DEDM	ANENT REGISTRATION
( <b>D</b> )	VALDETAILS	- СБРТІ				ON LETTER ISSUED BY
						NUE TO BE ATTACHED
<b>(C)</b>	PLACE OF DELIVERY	-	ITEMS	то в	E DELIVERI	ED TO THE "GENERAL
		SIR J	IOHN :	KOTEL	AWALA D	EFENCE UNIVERSITY
		KAND	AWALA	STATE	E, RATMALA	ANA ALONG WITH THI
					*	T INVOICE.
<b>(D)</b>	Any queries / information with r from Officer Commanding Logi Defence University through 6 0112622504, OCLS – 0710219303	stics Se e-mail	ervices ocls@k	office du.ac.l	at General <u>k</u> and by	Sir John Kotelawala y telephone number
	NOTE: UNIT PRICE AND TOT THE TENDER, IF NOT QUOTA					CATED CLEARLY IN
	SUPPLIER NAME	•••••		••••	• • • • • • • • • • • • • • • • • • • •	
	ADDRESS	•••••	• • • • • • • • • • • • • • • • • • • •	•••••		
	CONTACT NUMBER	•••••		••••		Company Seal
		• • • • • • • • •				
<b>(E)</b>	Bid Reference: KDU/PRO/CAP/ 8	30 /202 <u>2</u>	2		••••	

# PURCHASE SPECIFICATION OF FULL HD VIDEO CONFERENCE SYSTEM FOR THE (SENATE) BOARDROOM, KDU

Minimum requirements	Quantity	Bidder's complia nce (Yes/No)	Bidder 's catalo g No./Pa ge No.
minimum requirement, can say complied/yes. If not, must give full detail. Any ambiguity may			
	x O1No		
Expected immunity to RF interference from mobile phones and RF devices			
Standard Capacity 60~70 (different from various models) Acoustic Frequency Response 20Hz ~ 20KHz SNR >96dBA Channel Isolation >85dB Dynamic Range >94dB THD <0.05% PowerAC100~240V, 50/60Hz Audio Port 1 balanced (XLR); 2 unbalanced (RCA) Max Audio Output LINE OUT : +20 dBu unbalanced/ balanced OUT : +20 dBu balanced Output Impedance >1KΩ External Audio Input 0.775V (PHOENIX terminal) Central Control Method RS-232 PC Connection Method TCP/IP Max Power Consumption 300W Active Delegate 1/2/3/4 (not including chairman unit)			
Push button for MIC ON/OFF	x O1No		
	If the bidder offers the exact minimum requirement, can say complied/yes. If not, must give full detail. Any ambiguity may consider as not complied.  Expected immunity to RF interference from mobile phones and RF devices  Standard Capacity 60~70 (different from various models) Acoustic Frequency Response 20Hz ~ 20KHz SNR >96dBA Channel Isolation >85dB Dynamic Range >94dB THD <0.05% Power AC 100~240V, 50/60Hz Audio Port 1 balanced (XLR); 2 unbalanced (RCA) Max Audio Output LINE OUT : +20 dBu unbalanced/ balanced OUT: +20 dBu balanced Output Impedance >1KΩ External Audio Input 0.775V (PHOENIX terminal) Central Control Method RS-232 PC Connection Method TCP/IP Max Power Consumption 300W Active Delegate 1/2/3/4 (not including chairman unit)	If the bidder offers the exact minimum requirement, can say complied/yes. If not, must give full detail. Any ambiguity may consider as not complied.   **x O1No*  Expected immunity to RF interference from mobile phones and RF devices  Standard Capacity 60~70 (different from various models) Acoustic Frequency Response 20Hz ~ 20KHz  SNR >96dBA Channel Isolation >85dB Dynamic Range >94dB THD <0.05%  PowerAC100~240V, 50/60Hz Audio Port 1 balanced (XLR); 2 unbalanced (RCA) Max Audio Output LINE OUT : +20 dBu unbalanced/ balanced OUT : +20 dBu balanced Output Impedance >1KΩ External Audio Input 0.775V (PHOENIX terminal) Central Control Method RS-232 PC Connection Method TCP/IP Max Power Consumption 300W Active Delegate 1/2/3/4 (not including chairman unit)	compliance (Yes/No)  If the bidder offers the exact minimum requirement, can say complied/yes. If not, must give full detail. Any ambiguity may consider as not complied.  **X O1No**  Expected immunity to RF interference from mobile phones and RF devices  Standard Capacity 60~70 (different from various models) Acoustic Frequency Response 20Hz ~ 20KHz  SNR >96dBA  Channel Isolation >85dB  Dynamic Range >94dB  THD <0.05%  PowerAC100~240V, 50/60Hz  Audio Port 1 balanced (XLR); 2 unbalanced (RCA) Max Audio Output LINE OUT : +20 dBu unbalanced/ balanced OUT: +20 dBu balanced Output Impedance >1K\Omega External Audio Input 0.775V (PHOENIX terminal) Central Control Method RS-232 PC Connection Method TCP/IP Max Power Consumption 300W Active Delegate 1/2/3/4 (not including chairman unit)  Push button for MIC ON/OFF x 01No

	active delegate units Unidirectional electret condenser microphone Red ring illuminant to identify live unit Built-in loudspeaker in hi-fi quality Dual 3.5mm headphone jacks with level control Loudspeaker is muted when MIC ON and/or headphone connected		
Features			
	Priority function: Chairperson can turn off delegate microphones by clear key any time Chairperson microphone can turn on any time. Chairperson only mode: Delegate microphone should not have turned on again after pressing priority button. The chairman need quit this mode first, and then delegate microphone can be turned on again		
Technical Parameters			
	Frequency response: 50~18kHz Sensibility: -46+(-)4dB Power input: 24VDC Microphone stem length: 41cm Dual-shielded captive cable length: 50 cm Portable or fixed tabletop mounting.		
1.2 Delegate			
Microphone		x 45 Nos	
Technical Parameters	Same as Chairman Unit		
2.0 Video Tracking HD		x 04 Nos	
Camera		A UT NOS	
	Image Sensor 1/2.8 inch high quality HD CMOS sensor pixel Dynamic image: 16:9 2.07 million effective pixels.		

	Still image: 16:9 2.1 effective megapixels video signal 1080P60/50/30/25, Lens zoom 20x optical zoom, f=4.7~84.6mm Minimum illumination 1.8Lux white balance Auto/Manual/Indoor/Outdoor focus automatic / manual aperture automatic / manual electronic shutter automatic / manual signal to noise ratio >50dB HD video interface HD-SDI, DVI-I control signal interface RS232, 8-pin mini-DIN Rotation angle Horizontal rotation: ±175°; Up Vertical: -30°~90° stored temperature -10°C to +60°C Operating temperature 0°C to +45°C Power Adapter AC110V-AC220V to DC12V/2A Input voltage DC12V (DC11.5-DC12.5V)	
2.1 Video Matrix Switcher 01	Input channel 4 ports Application of standardsSMPTE 259M, SMPTE 292M, SMPTE424M, ITU-R BT.601, ITU-R BT.1120 Video format 270Mbps SDI/ 1.485 Gbps HD-SDI/ 2.97Gbps 3G-SDI Data frequency 19Mbps 2.97 Gbps Margin 0.8Vp-p±10% Rise / fall time 400-700ps Crossed <10% Movement <540ps±10%	ж 01 No

	Minimum / maximum level 0.5V to 1.0 Vp-p Maximum transmission range		
	HD: 200m/ SD:400m/ 3G: 140m Output channels 4 ports Protocol HDMI I.4		
	protocol/ HDCP protocol Pixel bandwidth 225MHz, Full-digital Interface bandwidth 3.25Gbps.		
	Full-digital Max support resolution Normal-		
	PC:1600x1200@60-24bit, HDPC:1920x1200@60-24bit, HDTV:1920x1080p@60-36bit Clock Jitter <0.15 Tbit Rise time <0.3 Tbit (20%-		
	80%) Fall time <0.3 Tbit (20% 80%) Signal type HDMI-A Full- digital T.M.D.S signal of HDMI 1.4		
	Maximum/ Minimum level T.M.D.S 2.9V/3.3V Connector HDMI-A Female connector		
2.2 HDMI 4K60 Matrix Switcher with Audio Outputs		x 01 No	
	Make and Model Country of manufacture Country of origin Processing Switching Type IR Remote, Pushbutton Processing Resolution UHD 4K at 60 Color Processing 8-Bit 4:4:4 YCbCr		
	10-Bit 4:2:0 YCbCr 12-Bit 4:2:0 YCbCr Input		

Extender over CAT 5	Transmitter:		
2.4 4K/60 HDMI Extender over CAT 5		x 04Nos	
2.3 Electric Screen	Powder coated white Aluminum casing Convenient mounting system with adjustable mount for easy installation Large roller for ultimate flatness Powered by silent tubular motor for best durability Pre-wired power cord with integrated switch Multi-functional Remote control Screen Size 120"(72"x96")	x 01 No	
	Video Input Connectors 4 x HDMI (DVI / HDMI 2.0) Female Input Video Format HDMI (8/10/12-Bit 4:2:0 YCC)		


	Rated Output Power 600W Frequency Response (SP OUT/1W output) 80Hz~15kHz		
3.0 Audio Power Amplifier		x O1No	
	Input Signal (1) HDMI, (1) IR; (1) RS232 Input Connector (1) HDMI female; (1) 3.5mm mini jack. (1) 3p captive screw connector Output (1) RJ-45, (1) IR, (1) RS232 Output Connector(1) RJ-45; (1) 3.5mm mini jack. (1) 3-pin captive screw connector Audio (1) Digital audio, transmit through HDMI audio Receiver: Input Signal (1) IR; (1) RJ- 45; (1) RS232 Input Connector (1) 3.5mm mini jack; (1) RJ-45; (1) 3p captive screw connector Output (1) HDMI (1) IR (1) RS232 General Resolution Range:640x480@60Hz-4K×2K @30Hz Transmission Mode HDBaseT Transmission Distance 1080p ≤ 70m; 4Kx2K ≤ 40m Bandwidth: 10.2Gbps HDMI Standards - Supports HDMI1.4 and HDCP2.2 Impedance: 75Ω Temperature: 0~ 50 C Humidity: 10% ~ 90% External Power Supply Other Required Items HDMI Cables CAT 6 Cables Other Required Items for installation		

	Less than 0.5% S/N (Rated Output) More than 70dB Tone Control (100Hz, 10kHz) ±10dB Input Sensitivity/Impedance Input 1~5 MIC -50dBu/2kΩ LINE -10dBu/2kΩ Input 6 -10dBu/10kΩ TEL IN 0dBu/10kΩ EXT IN 0dBu/20kΩ MIX Out/Impedance 0dBu/10kΩ Speaker Output Level / Impedance LOW-Z 100V/8Ω+8Ω 70V/8Ω+8Ω HIGH-Z 100V/16Ω		
Power Consumption (1/8W output)	AC 120-240V, 50/60Hz 160W		
3.1 Mixer Console	8 Channel Analog Mixer	x O1No	
PA Speakers	Inputs 8 Mic input XLR/TRS with Phantom Power, Outputs Master (L/R): 2 x Channel fader XLR Balanced, Aux, Monitor, Headphone Controls, Monitor out Control, 1 x Aux Master Knob Headphone Level: 1 x knob. Phantom power. LED level Meter. High, Mid, Low equalizer Gain: +15 dB/-15 dB Frequency response 50Hz- 15KHz Crosstalk - 83 dB Total harmonic distortion 0.03 % @ +14dBu (20 Hz to 20kHz), GAIN knob: Min, 0.005 % @ +24dBu (1kHz) x 09 Nos of 8Ω/ 60WRMS Wall Mount Speakers are already installed at the location	##)	Occupie d
3.2 Hand held Wireless Microphone	Selectable UHF channels AA battery operated XLR balanced & 6.3mm unbalanced outputs LED/LCD display	x 02 Nos	
3.3 <u>Clip-on</u> Microphone	Selectable UHF channels	x 01No	

3.4 Sound cable	Compatible with lavaliere or headset microphone. AA battery operated Equipped with 4P Mini XLR connector. XLR balanced & 6.3mm unbalanced outputs. Belt clip with carrying case  3.5mm to 6.35mm TRS male to male Balanced 30m Audio Cable	x O1No	
3.5 VGA Cable	10m 15 Pin VGA Male to VGA Male Cable, Support resolution:800*600 1024*768 1280*720 1280* 960 1366*768 1440*900 1600*900 1920*1080(1080P Full HD) Applications for Any Devices with a VGA Interface. Gold Plated Connectors for Optimal Conductivity, Oxygen-Free Copper Conductor for Anti-oxidation, PVC Jacket for Durability Two Ferrite Core and Aluminum Foil Shielding for Minimize Crosstalk, Suppress Noise and Protect Against EMI/RFI	x O1No	
4.0 Online UPS	3KVA Wide input range (220V-AC±25%) Fully AVR Cold start, Strong generator compatibility Automatic Battery charging in ups off mode Surge Protection with strong electromagnetism compatibility, no electromagnetic interference to load Full time EMI/RFI suppression elimination at high frequency electrical noise. Full Protection against over voltage / low voltage	x O1No	

Installation and commissioning	The supplier should install the Video Conference System according to the General Audiovisual System Standards and guidelines. Supplier must draw the system connection diagram with the Miscellaneous Equipment. Installation charges for the above system inclusive other additional accessories and the cables if need there should be supplied & stated by the bidder.	
Warranty period	Two years comprehensive. Bidder should provide a replacement, if the system is taking out for repairs and vender must do the transportation of the system.	
AV-TO (i) KDU FAHS ® 2204.3	of the system.	

# Conference Main Unit




Delegate 1

Delegate 2 Delegate 3 Delegate 4

Delegate 45

Delegate 46



and by -----

In the capacity of -----

Seal (where applicable)

#### SPECIMEN FORM OF BID SECURITY

			SPECIMENTO	KWI OF BU	D SECURITI					
firmly	ce compa	e company) whose registered office is at			. (hereinafter called "the Bidder") and We (name of bank o					
bind the	emselves Wherea	their successors and s the authority has it	l assigns jointly a nvited the Tender	nd severally r and other p						
submit called " honour	the same 'the Bid'' certain o	for the consideration in accordance with	on of the Authorit h such invitation, ertaken by him in	y, and the Bi the Bond sh	idder proposes to submit to the Authority a Bid (here nall provide security to the Authority that the Bidder in accordance with the following conditions.					
	(a)	That it shall remai	n in full force and	l effect until	the earliest of					
	(i) (Date), being () days from (submission date), the date stipulated by the Authori submission of tenders, or any prolongation of such date above notified to the Authority by the I the Surety in writing.									
			mance security to		he Tender by the Authority, the date upon which the Bidde Authority in accordance with the terms of the contract thereby					
	(b) Subject to this Bond being in full force and effect, the Surety shall pay the full amount specified in this Bond upon receipt of first written demand form the Authority stating that.									
		(i) The Bidd	er has withdrawn	ng the validity of this Bond, or						
	(ii) The Bidder has failed to provide a performance security to the Authority in accordance with the terms of the tender within 14 days from receipt of intimation of award of the Tender.									
	concern		he part of the Aut		rance of forgiveness in or in respect of neither any many objection from the bidder shall in any way release					
the Aut	hority sha	nefit of this Bond shall return the same to and shall be governed	o the Bidder.	·	uthority and upon its ceasing to be in full force and e	ffect				
	I exec	cuted as a deed on the	nis ( ) day	of ( ) 2	00( )					
	For and	on behalf of the Bi	dder		For and on behalf of the Surety					
	Signed	by			Signed by					
	In the c	apacity of		In the capacity of						

and by -----

In the capacity of -----

Seal (where applicable)

## **DELIVERY SCHEDULE**

(IT IS MANDATORY TO FILL THE FOLLOWING SCHEDULE BY THE BIDDER)

TENDER NO:					
ITEM :					
QTY :					
DURATION		QTY			
EX STOCK QTY (WITHIN (	01 WEEK)				
01MONTH					
02 MONTHS					
03 MONTHS					
04 MONTHS					
TOTAL					
NAME OF THE BIDDER	:				
SIGNATURE OF BIDDER	:				
DATE	<b>:</b>				
COMPANY SEAL	:	<b>:</b>			