

AMENDMENT OF QUOTATION NO - KDU/PRO/MAINT/AUD/27/2023

PURCHASE OF TIMBER ITEMS FOR CONSTRUCTION OF AUDITORIUM BUILDING AT KDU

1. Please be kind enough to pay your attention on following amendment.

File No - KDU/PRO/MAINT/AUD/27/2023. **Tender Open Date- 08/06/2023**

AMENDMENT


A. Above reference tender **specifications for timber** to be changed as follows.

SR NO	DESCRIPTION OF ITEMS	PART NO.	DENO	QTY	UNIT PRICE	TOTAL COST
	<u>Specifications for Timber</u>					
	All timber shall be best quality of Super luxury Class ("Teak") , hard wood, free of warp, shakes, large, loose or dead knots, waney edges.	Note				
	All timber shall be chemically treated with Vacuum Impregnation Technique (VIT) using Copper/ Chromium/ Boron wood preservation system or equivalent.	Note				
	All timber shall be seasoned to maintain moisture content limited to 10% - 12.5% with a kiln dry process and test certificates shall be submitted for Engineer's approval before starting the supply.	Note				
	Timber test reports for seasoning and chemical treatment shall be submitted to the employer prior to delivery of timber to the site.	Note				
Note :- a) Please submitted extract sizes with quotation for timber. b) Please submitted type of timber (Timber name) & timber sample with quotation. If that not submitted bidders are rejected from the tender. c) Should be provide reputed certificate for Treated & seasoned timber. d) Should be specify the brand name, country & warranty, catalog, sample picture, certificate, test report, technical data, specifications, etc for all items. If that not submitted bidders can be rejected from the tender						

B. Above reference tender **opening date** to be changed as 15.06.2023(Opening Date extended).

2. Please be kind enough to pay your attention on attached amendment of specifications.

3. Thank You.


HRL Abeyrathna
Sqn Idr
Procurement Officer