Tender No: UHKDU/PRO/MED/237/2021		Unive Wera Sri La
	UNIVERSITY HOSPITAL General Sir John Kutchawala Defence University	T:Pho Fax: Web:
	T General 3n John Koleiawara Deterice Conversity	20/0
INVITATION TO BID AND GENERA	AL CONDITIONS OF TENDER	

University Hospital Kotelawala Defence University Werahara Boralesgamuwa Sri Lanka Γ:Phone: 0112044555 Fax:

20 / 08 / 2021

- The Vice Chancellor of the General Sir John Kotelawala Defence University, as the Chairman, Department Procurement Committee invites Bid/s from prospective Bidders for supply of items listed in the schedule in Annex "A" The relevant specifications of the items are indicated in Annex
- CLOSING DATE & TIME. The tender will close at 1400hrs on 08/09 / 2021 Any Bid submitted after the closing time of the tender will be 2. rejected & unopened such bids will be returned to the bidder.
- 3. VALIDITY OF BID.

The bid submitted under this tender must be valid for a period of 120 days from the date of closing

of tender.

4. BID BOND / GUARANTEE.

- If the quoted bid value exceeds Rs: 2,000,000.00, such Bids should be accompanied with 1% of Bid Value an "on demand" and (a) "unconditional" Bid Bond/Guarantee for a sum of Rs: in the format given in Annex "C" through a recognized local Bank or Insurance Company registered in Sri Lanka which is authorized by the Insurance Board of Sri Lanka to issue such Bid Guarantees. All Bid Bond/Guarantees should be valid for at least 30 days more than the validity period of bids, ie, for 150 days from the date of Bid opening. Cheques will not be accepted as Bid Guarantee.
- Submission of insufficient Bid Bond/Guarantee value or period will be considered as a "major deviation" and such offer will not be considered for further procurement action and will be rejected.
- The Bidders who bid for locally delivered items must have the VAT registration. The VAT portion must be shown 5. VALUE ADDED TAX. separately in the price schedule in Annex "A" and VAT registration number must be indicated. If the quoted item is exempted from VAT or Bidding Company is not liable for VAT, reference number and date of relevant Act number/Gazette notification/a certificate (as applicable) issued for the current financial year from the Commissioner General of Inland Revenue to that effect should be submitted along with the Bid.
- BID SUBMISSION. The bidder must duly sign at the last page (before Annexes) of this document indicating the name of the signatory and the name of the company & place the company common seal to confirm the acceptance of tender conditions. The Bid/s that do not include authorized signature will be rejected. The Bid/s duly signed by the bidder enclosed and sealed in an appropriate cover addressed to the following address should be sent by registered post or could be deposited in the appropriate tender box placed at University Hospital Kotelawala Defence University, Werahara (at the Main Entrance of University Hospital Kotelawala Defence University) on or before the time & date specified for the closing of tender. The tender reference number, date & time of closing tender should be indicated & underlined at the top left corner of the envelop.

Tender Ref No Closing Date & Time :....

The Chairman, Department Procurement Committee, University Hospital Kotelawala Defence University, Werahara. Sri Lanka.

7. The Bid/s must be submitted in the attached schedule of prices in Annex "A" as applicable. However, bidders could use similar formats prepared with their own letter heads with all the details mentioned therein and submit in three copies along with duly signed copy of a General Conditions of tender. The Bid/s must contain Technical Literature, Pamphlets, Drawings and Quality Standard Certificate etc necessary to determine characteristics of items offered and in case of Machinery/Vehicles & Equipment, servicing and workshop data/after sales service, back up facilities or any other facilities provided by the supplier.

SUBMISSION OF SAMPLES/PAYMENT OF TESTING CHARGES.

When it is required to submit samples, every offer must be accompanied with pre - marked samples. The marking of samples indicating the Bidder & Offer number must be done and the samples must be handed over to the officer at same place where tender box is placed on or before the closing date & time of the Bid. Samples submitted after closing time of the Bid will be rejected. The documents such as Air Way Bills etc, will not be accepted in place of samples. When the testing charges are required to be paid, bidders shall pay testing charges separately for all offers indicated in their bid/s.

> Please submit samples. Samples.

- A sum of Rs.per offer must be paid to the Bursar of KDU, prior to the submission of Testing Charges. (2) bid and a copy of the receipt must be annexed to the bid. It is the responsibility of bidder to inform the Cashier of the Account Office to note the tender number on the receipt issued for such payments.
- BID OPENING. All duly received bids will be opened immediately after the scheduled closing time of Bids at the same venue. Bidders or their accredited agents could be present at the time of opening of bids.
- 9. PRICES.

For locally delivered items (including locally manufactured items & foreign items imported by the bidders) price must be quoted in Sri Lankan Rupees, inclusive of all charges for delivery of items to University Hospital General Sir John Kotelawala Defence University Werahara, Unit price. VAT and Total price should be clearly indicated in schedule in Annex "A". Other than VAT, all other type of taxes (eg: NBT, BTT, etc.) should not be indicated separately and should be included in unit price.

Invitation to Bids are circulated among the registered suppliers with Ministry of RESTRICTED TENDERS. Defence (MOD), only bids submitted by registered suppliers will be allowed for consideration. However, Chairman, Department Procurement Committee reserves the right to invite the bids from multiple combinations of Procurement Methods as stipulated in Chapter III of the Government Procurement Guideline, 2006 to ensure highest competitiveness.

- 11. PERFORMANCE BOND/GUARANTEE. A successful bidder shall furn he a Performance Bond/Guarantee for a sum equivalent to 10% of the contract value for every confinsurance Company authorized by the Insurance Board of loss resulting from the supplier's failure to complete his performance obligations under the contracted supplier fails to deliver the items Sri Lanka to issue such Performance Guarantee for this purpose within two weeks from the Kotelawala Defence University as compensation for any o
- 12. time or fails to complete the works as per the agreed contract, THE TOTAL VALUE OF THE PERFORMANCE HOND/GUARANTEE will be forfeited. If only partial delivery is made during the agreed contract period, the corresponding value percentage of unablivered quantity from the Performance Bond/Guarantee will be forfeited.
- 13. SIGNING OF CONTRACT.

 mail. This notification constitutes the formation of the contract. The successful bidder should submit his written acceptance for the award and award and furnishing of the Performance Bond/Guarantee, the successful bidder will have to enter into a formal contract with the Vice Chancellor of the General Sir John Kotelawala Defence University by signing the Contract.
- 14. **DELIVERY.** Preference will be given for early delivery. In case of bulk supplies for locally manufactured items, the delivery of total quantity must be completed within 120 days of signing of contract, unless mutually agreed for extended delivery period with University Hospital Kotelawala Defence University. The bidder/s must indicate the proposed delivery schedule in Annex "E". In the event of placing a purchase order deliveries not made as per agreed delivery schedule will be considered as bad performances by the suppliers and no extended delivery period will be authorized. Under extreme unavoidable conditions too, the Chairman, Department Procurement Committee (Vice Chancellor of the General Sir John Kotelawala Defence University) reserves the right to grant or refuse delivery period extensions only within the current financial year with or without liquidated claim for delayed deliveries and that decision will be final.
- 15. LIOUIDATED DAMAGES. In case of delivery period extensions requested by the successful bidder, a sum equivalent to 2% of the total value of the delayed supply per delay of one week or part thereof may be deducted from the payment due to the supplier from the University Hospital General Sir John Kotelawala Defence University as liquidated damages up to the maximum limit of 10% of the total value of delayed supplies.
- 16. PAYMENT TERMS FOR LOCALLY DELIVERED ITEMS. Payment will be made after acceptance of items which should be subjected to a pre-acceptance inspection/testing by University Hospital General Sir John Kotelawala Defence University authorities. The delivery made to University properly accepted after pre-acceptance inspection. Any item that does not conform to the specifications or already approved sample will be rejected & it is written) at his own cost and replace them with items conforming to specification within one month of such rejection. The bidder shall allow Defence University to obtain liquid cash from General Treasury & release the payment.
- 16. **RIGHTS OF THE PROCUREMENT COMMITTEE.** The Department Procurement Committee reserve the right to accept or reject whole or part of this tender and their decision will be final. The successful bidders will be notified. Information with regard to rejected or unsuccessful bids will not be communicated.

Thanking You,
Yours faithfully.

For Chairmen DPC

General Sir John Kotelawala Defence University

I/We agree to abide by the conditions of tender and undertake to supply the items as per delivery schedule mentioned in the contract, in the event of an order been placed with me/my firm/company as a result of this tender.

SCHEDULE OF PRICES FOR LOCALLY DELIVERED ITEMS

S/ N	ITEMS	UNIT	QTY	PRICE EACH SLRS	TOTAL PRICE SLRS
	PURCHASE OF FULLY AUTOMATED 7 PART HAEMATOLOGY ANALYSER FOR HAEMATOLOGY LABORATORY AT UHKDU				
1	Fully Automated 7 Part Hematology Analyser	No	01		
	TOTAL				
	DISCOUNT				
	TOTAL(AFTER DISCOUNT)				
	VAT %				
	GRAND TOTAL				

2.	a. Country of Manufact	ure :	
		acturer and address :	
3.	VAT Registration No.:		
4.	Name of the Company	:	
5.	Testing Charges Paid.	: Rs	Receipt No and Date:
6.	Signature of Bidder	<i>:</i>	
7.	Date.	:	
8.	MOD registered No.	: Company	Seal :
9.	Warranty Period	·	

Specifications for Fully automated 7 part Haematology analyser

Priority Press No Comment C C The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. The environmental conditions (Temperature, humidity, space water supply environments and C separately for such arrangements. C The haematology analyzer should be supplied with a suitable power C supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt C Barrode reader. The analyser shall be fully automated and capable of random access at C The analyser shall be fully automated and capable of random access at C The analyser shall accept samples in both manual and autoloader mode C The analyser shall use flowcytometry method with detection channels C Barrode reader RBC (WBC,SDIff and fluorescent plates with detection channels C The system shall use calibration minimum cell counting principals to C The Haematology analyzer shall have reportable parameters of C The Priority Priori					
Priority conformity test No. The unit shall operate on the power supply of 230+10%,50 Hz single C The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and lenvironmental conditions (Temperature, humidity, space water supply etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power complete the current supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt complete reader. The analyser shall be fully automated and capable of random access at complete readers with ability to analyse stat samples. The analyser shall accept samples in both manual and autoloader mode completes analyser shall use flowcytometry mentioned. 8 Minimum sample volume for each mode should be clearly mentioned. 9 The system shall use flowcytometry method with detection channels count blood cells. 10 The system shall use calibration minimum cell counting principals to count blood yeach FBC and correct the WBC count automatically to provide accurate WBC count.				The system shall have reportable parameters of WBC,NRBC,RBC,HGB,HCT,MCV,MCH,MCHC,PLT,NEU%,LYMPH%,MONO E0%,BASO%,NEU#,LYMPH#,MONO#,EO#,BASO#,RDW-SD,MPV,IG %,IG	12
Priority conformity phase. The unit shall operate on the power supply of 230+10%,50 Hz single C The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt C harcode reader. The analyser shall be microprocessor based, compact system with inbuilt C harcode reader. The analyser shall accept samples in both manual and autoloader mode C The analyser shall use flowcytometry method with detection channels using semiconductor laser to measure RBC, WBC,5Diff and fluorescent platelets. Minimum sample volume for each mode should be clearly mentioned. The system shall use calibration minimum cell counting principals to count blood cells. C The Haematology analyzer shall have facility to provide measured NRBC C count blood correct the WBC count automatically to provide			-	accurate WBC count.	
Purchaser's requirement Purchaser's requirement Priority Ves No The unit shall operate on the power supply of 230+10%,50 Hz single The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and characteristic operations are considered as a characteristic operation of the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power characteristic operation of the current supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt characteristic characteristic operations and complete the current sample shall be fully automated and capable of random access at all times with ability to analyse stat samples. The analyser shall accept samples in both manual and autoloader mode characteristic operation channels characteristic operation channels characteristic cha				The Haematology analyzer shall have facility to provide illeasured with count for each FBC and correct the WBC count automatically to provide	11
Purchaser's requirement Purchaser's requirement The unit shall operate on the power supply of 230+10%,50 Hz single The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. The quipment needs specific operational requirements and etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt C barcode reader. The analyser shall be fully automated and capable of random access at all times with ability to analyse stat samples. Minimum sample volume for each mode should be clearly mentioned. Minimum sample volume for each mode should be clearly mentioned. The system shall use flowcytometry method with detection channels c using semiconductor laser to measure RBC , WBC,5Diff and fluorescent platelets.			-		
Purchaser's requirement Purchaser's requirement Priority Conformity Yes No The unit shall operate on the power supply of 230+10%,50 Hz single The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and clearly mentioned in the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power sample unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt channels of the analyser shall be fully automated and capable of random access at complete the current samples with ability to analyse stat samples. The analyser shall accept samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete the current samples in both manual and autoloader mode complete samples in both manual and autoload			С	em shall use calibration minimum cell counting principals	10
Purchaser's requirement Purchaser's requirement Priority Conformity Yes No The unit shall operate on the power supply of 230+10%,50 Hz single The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be able to operate on tropical environment. C The unit shall be clearly mentioned c C The unit shall be clearly mentioned chall be quoted separately for such arrangements. C The analyser shall be microprocessor based, compact system with inbuilt chanalyser shall be fully automated and capable of random access at changes. The analyser shall be fully automated and capable of random access at changes. The analyser shall accept samples in both manual and autoloader mode changes. Minimum sample volume for each mode should be clearly mentioned. C				The system shall use flowcytometry method with detection channels using semiconductor laser to measure RBC , WBC,5Diff and fluorescen	9
Purchaser's requirement Purchaser's requirement Priority conformity Yes No The unit shall operate on the power supply of 230+10%,50 Hz single The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and character supply environmental conditions (Temperature, humidity, space water supply environments) Separately for such arrangements. The haematology analyser should be supplied with a suitable power supply unit which has adequate back-up time to complete the current supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt characters all times with ability to analyse stat samples. The analyser shall accept samples in both manual and autoloader mode characters.			С	Minimum sample volume for each mode should be clearly mentioned.	∞
Purchaser's requirement Purchaser's requirement Priority conformity The unit shall operate on the power supply of 230+10% ,50 Hz single phase. The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. The unit shall be able to operate on tropical environment. C If the equipment needs specific operational requirements and cetc) they shall be clearly mentioned in the offer and shall be quoted etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. Separately for such arrangements. The haematology analyser should be supplied with a suitable power complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt complete the current samples shall be fully automated and capable of random access at compact system with ability to analyse stat samples.			-	The analyser shall accept samples in both manual and autoloader mode	7
Purchaser's requirement Purchaser's requirement Priority conformity The unit shall operate on the power supply of 230+10%,50 Hz single C phase. The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and C environmental conditions (Temperature, humidity, space water supply etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power C supply unit which has adequate back-up time to complete the current sample analysis and shut down the system. The analyser shall be microprocessor based, compact system with inbuilt C barcode reader.				hall be fully automated and capable of random access bility to analyse stat samples.	6
Purchaser's requirement Purchaser's requirement Priority Conformity The unit shall operate on the power supply of 230+10% ,50 Hz single phase. The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. Separately for such arrangements. The haematology analyser should be supplied with a suitable power supply unit which has adequate back-up time to complete the current supply analyser shall be microprocessor based, compact system with inbuilt C The analyser shall be microprocessor based, compact system with inbuilt C The analyser shall be microprocessor based, compact system with inbuilt C The analyse of the power supply of 230+10% ,50 Hz single C Yes No Yes No Yes No			2	barcode reader.	U
Purchaser's requirement Purchaser's requirement Priority Conformity The unit shall operate on the power supply of 230+10% ,50 Hz single The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements. The haematology analyser should be supplied with a suitable power supply unit which has adequate back-up time to complete the current sample analysis and shut down the system.			С	The analyser shall be microprocessor based, compact system with inbuilt	л
Purchaser's requirement Purchaser's requirement Priority conformity The unit shall operate on the power supply of 230+10% ,50 Hz single C The unit shall be able to operate on tropical environment. If the equipment needs specific operational requirements and environmental conditions (Temperature, humidity, space water supply etc) they shall be clearly mentioned in the offer and shall be quoted etc) separately for such arrangements.			C	Id be supplied with a suitable back-up time to complete the e system.	4
Purchaser's requirement Purchaser's requirement Priority conformity Conformity Priority conformity Pes No Phase. The unit shall operate on the power supply of 230+10%,50 Hz single C The unit shall be able to operate on tropical environment. Conformity Pes No Periority conformity Pes No Pes No One No Pes No Pe				etc) they shall be clearly mentioned in the offer and shall be quoted separately for such arrangements.	
Purchaser's requirement Purchaser's requirement The unit shall operate on the power supply of 230+10% ,50 Hz single C phase. The unit shall be able to operate on tropical environment. C C C C C C C C C C C C C			C	If the equipment needs specific operational requirements and environmental conditions (Temperature, humidity, space water supply	ω
Purchaser's requirement Purchaser's requirement The unit shall operate on the power supply of 230+10% ,50 Hz single C The unit shall operate on the power supply of 230+10% ,50 Hz single C			0	nit shall be able to operate on tropical environment.	2
Priority conformity Yes No			С	nit shall operate	Р
J. O. S. T.	Comment	Yes No	Priority		
		conformity	Dai Daity	Purchaser's requirement	

- 1
~~~·
-


Cus

30		
0.7	tubes in the same carrier with the ability to function with all	С
	/ availa	
27	t compatible with the	
	equipment must be clearly stated.	
28	It shall also consist of an error indicator for errors in the recording and	C
20	inical malfunctioning.	
23	(CE,FDA,ISO9001, ISO 13485 etc).	С
30	The unit should have a valid CDDA/NMRA certificate	
31	maintenance	
	machine.	
32		
	of not less than 2	
-	of successful commissioning of the equipment at the respective	
	Institutions.	
Ü		C
	this period. Details of this together with information on how this	
700	warranty will be implemented shall be given in your offer. The quantity,	
	chall be stated and during the preventative maintenance visits per annum	
34	Spare parts and a schedule of works shall be provided.	
	instrument. Prices of spare parts should be closely manufacture of the	C
	cycle of the instrument.	
35	The bidder shall submit details of other supporting facilities offered by	
	of the instrument. A detai	
	cost of them shall be mentioned separately	
36	The bidder shall provide quote for annual post warranty service and	
	and labour basis.	
37	Routine maintenance shall be auditable, including operator	
	aintenance pr	
38	nse times for callouts shall be described state to	
	ight, at weekends and public holidays. The times	Constitution and the constitut
		ON DELLA COMPANY
		2.0

Commence of the Commence of th	С	In (or otherwise) in	
The state of the s		The bidder shall submit a statement of compliance (	48
, and the state of		le equipment	
	7	All original certificates such as NMRA ,FDA , CE, ISO shall be provided	47
		to pay the cost of tests that are done from any outside source or to	
		days from the receipt of such information, the local agent should agree	
		equipment to satisfactory working order within a period of 3 working	
		equipment is out of order and the supplier failing to restore the	
	С	In the event of the customer informing the supplier at any time that the	46
		without any additional cost.	
	С	The unit shall have the facility to connect with laboratory information	<del>.</del>
		The limit shall have the facility for a period of 6 months.	2л
		) tests w	
	С	The quotation should separately include the reagent cost, calibrators,	44
		consideration at the time of evaluation	3
		years (Euro or USD Price list). These prices will be taken in to	
	С	) r Smua	£
		Failure to submit this information would lead to disqualify the bid	3
		g) CBC+DIFF+NRBC+IG+Fluorescent Platelet	71.
		t) CBC+DIFF+Fluorescent Platelet	
		e) CBC+DIFF+NRBC+IG	
		d) CBC+DIFF+IG	
		c) CBC+DIFF+RET	
		b) CBC+DIFF+NRBC	
		a) CBC+DIFF	
		This should clearly list the cost of	
		as 300 tests per day. ( cost per	
	C	The bidder shall provide realistic cost analysis of all consumables and	42
	-	charge basis.	
	· ·	high and low) for a period of 5 years for Jaily QC IIIdlerial (normal	
	-	supplier shall provide 3 levels of third party of material	41
	0 0	The bidder shall provide with the user reference for the guidted model	40
		Fully detailed operator manual shall be provided.	39

MBBS, PG DIE NO CONSultant CI

	conformity with the same.	printed illustrated original technical literature to substantiate the	respect of every clause in this specification. The bidder shall also provide	
		5	de	



### ANNEX "C"

# SPECIMEN FORM OF BID SECURITY

	) whose r	egistered o	office is at	(hereinafter	(hereina called	ifter called the	"the Surety") are Authority")	e (name of bank or insura e held and firmly bound o in the sum and the Surety bind themsel	nto of
their succ	essors and Whereas	d assigns jother the	ointly and severally	by those present by those present o	ts. ther persons	to compet	e tenders in simil	lar terms for the supply	
submit the Bid") in a to be und	e same fo accordanc ertaken by	or the cons e with suc	ideration of the Au h invitation, the Bo e Tender in accord	thority, and the ond shall provide	Bidder proposecurity to the	ses to subre e Authorit	nit to the Authori	ty a Bid (hereafter called " will honour certain obligati	
	(a)	That it sh	all remain in full fo	orce and effect u	ntil the earlies	tof			
		(i) tenders, o						uthority for the submission and the Surety in writing.	n of
		(ii) performa						which the Bidder provide eby made between them, or	
	(b) receipt o		o this Bond being i en demand form th			rety shall [	pay the full amou	nt specified in this Bond up	pon
		(i)	The Bidder has wi	thdrawn his Ten	der during the	validity o	f this Bond, or		
		(ii) the tende	The Bidder has far within 14 days fro					accordance with the terms	s of
		nder on th						of neither any matter or the y release the Surety from	
Authority	shall ret	urn the san	s Bond shall not be ne to the Bidder. governed by the la		the Authority	y and upo	n its ceasing to b	be in full force and effect	the
	I exec	uted as a d	eed on this (	) day of (	) 20 (	)			
			of the Bidder				on behalf of the Su	•	
							22 pr (4 W M % 4 7 % 6 7 % W M M M M M M M M M M M M M M M M M M		
							y		
	•	•							
						gar saf	pacity of		
	•		are are not not had not not one are not disk are also just are his fait and 100 July list als also				************		
	In the ca	pacity of	· · · · · · · · · · · · · · · · · · ·	***		In the ca	pacity of		
	Seal (wh	ere applica	able)			Scal (wh	ere applicable)		

## **DELIVERY SCHEDULE**

(IT IS MANDATORY TO FILL ITEM :			BIDDER) TENDER NO : QTY
DURATION		QTY	
EX STOCK QTY (WITHIN 01	WEEK)		
01MONTH			
02 MONTHS		1. di. di. di.	
03 MONTHS			
04 MONTHS			
TOTAL			
		/	
NAME OF THE BIDDER	:	•••••••••••••••••••••••••••••••••••••••	
SIGNATURE OF BIDDER	:		
DATE	:		
DMPANY SEAL			